



测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 1 of 52

委托单位 Applicant:

大宝纸品工业有限公司

DOUBLE PAPER PRODUCT INDUSTRIES LTD

地址 Address:

香港九龍九龍灣宏開道 8 號其士商業中心 6 樓 605 室

Unit 5, 6/F., Chevalier Commercial Centre, No.8 Wang Hoi Road, Kowloon Bay, Kowloon, Hong Kong

委托单位提供样品信息如下:

The following sample(s) was/were submitted and identified on behalf of the client as:

样品名称 Sample Name:

彩色瓦楞纸箱 MASTER CARTON, WITH 7 COLOURS PRINTING BLACK, PURPLE, RED, BLUE, GREEN, WHITE, YELLOW

样品描述 Sample Description:

带黑色、紫色、红色、蓝色、绿色、白色、黄色印刷的棕色瓦楞纸箱 Brown corrugated box with black, purple, red, blue, green, white and yellow printing

样品接收日期 Sample Received Date:

2022-11-25

样品测试日期 Testing Period:

2022-11-25 ~ 2022-12-05

测试项目:

(1) 233 项 SVHC

(2) 间苯二酚

Test Items:

(1) 233 SVHC substances

(2) Resorcinol

参考方法 Reference Method:

(1) 请参见下页 Please refer to next page(s)

(2) 内部方法, 间苯二酚用液相色谱仪做分析

Pony-In-house method, Resorcinol Analysis is performed by LC

测试结果 Test result(s):

请参见下页 Please refer to next page(s)

摘要 Summary:

根据分析结果, 所检样品中 233 项 SVHC 浓度均小于 0.1%。

According to the analytical results, concentrations of 233 SVHC substances are less than 0.1% in the submitted sample.

批准人 Approved by:



微信扫一扫, 使用小程序



小程序扫一扫, 在线验证

Code: sebusdz



(1) 233 项 SVHC 233 SVHC substances

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
1	蒽 Anthracene	参考 Refer to EPA 3540C:1996& EPA 8270E:2018,GC-MS	持久性,生物积累性和毒性物质 PBT
2	邻苯二甲酸丁苄酯 Benzyl butyl phthalate (BBP)	参考 Refer to EPA 8061A:1996,GC-MS	生殖系统毒性物质 Toxic for reproduction
3	邻苯二甲酸二丁酯 Dibutyl phthalate (DBP)	参考 Refer to EPA 8061A:1996,GC-MS	生殖系统毒性物质 Toxic for reproduction
4	邻苯二甲酸二(2-乙基)己酯 Bis (2-ethylhexyl)phthalate (DEHP)	参考 Refer to EPA 8061A:1996,GC-MS	生殖系统毒性物质 Toxic for reproduction
5	六溴环十二烷及其非对映异构体 Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	参考 Refer to EPA 3540C:1996,GC-MS	持久性,生物积累性和毒性物质 PBT
6	4,4'-二氨基二苯基甲烷 4,4'-Diaminodiphenylmethane (MDA)	参考 Refer to EN 14362-1:2017,GC-MS	致癌性物质 Carcinogen
7	C10-13 短链氯化石蜡 Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	参考 Refer to EPA 3540C:1996,GC-MS	持久性,生物积累性和毒性物质; 高持久性和高度生物积累性物质 PBT; vPvB
8	二甲苯麝香 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	参考 Refer to EPA 3540C:1996,GC-MS	高持久性和高度生物积累性物质 vPvB
9	三乙基砷酸酯 ⁽¹⁾ Triethyl arsenate ⁽¹⁾	参考 Refer to EPA 3052:1996, ICP-OES	致癌性物质 Carcinogen
10	氧化双三丁基锡 Bis(tributyltin)oxide(TBTO)	参考 Refer to DIN EN ISO 17353:2005,GC-MS	持久性,生物积累性和毒性物质 PBT
11	氯化钴 ⁽¹⁾ Cobalt dichloride ⁽¹⁾	参考 Refer to EPA 3052:1996/ EN14582:2016,ICP-OES/IC	致癌性物质;生殖系统毒性物质 Carcinogen, Toxic for reproduction
12	五氧化二砷 ⁽¹⁾ Diarsenic pentaoxide ⁽¹⁾	参考 Refer to EPA 3052:1996, ICP-OES	致癌性物质 Carcinogen
13	三氧化二砷 ⁽¹⁾ Diarsenic trioxide ⁽¹⁾	参考 Refer to EPA 3052:1996,ICP-OES	致癌性物质 Carcinogen
14	重铬酸钠 ⁽¹⁾ Sodium dichromate ⁽¹⁾	参考 Refer to EPA 3052:1996/ EPA 3060A:1996, EPA 9056A:2007,ICP-OES/UV-Vis	致癌性物质;致畸形物质; 生殖系统毒性物质 Carcinogen; Mutagen; Toxic for reproduction

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 3 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
15	砷酸氢铅 ⁽¹⁾ Lead hydrogen arsenate ⁽¹⁾	参考 Refer to EPA 3052:1996,ICP-OES	致癌性物质; 生殖系统毒性物质 Carcinogen; Toxic for reproduction
16	2,4-二硝基甲苯 2,4-Dinitrotoluene	内部方法 Pony-In-house method, GC-MS	致癌性物质 Carcinogen
17	蒽油 ⁽²⁾ Anthracene oil ⁽²⁾	内部方法 Pony-In-house method, GC-MS	致癌性物质; 持久性,生物积累性和毒性物质; 高持久性和高度生物积累性物质 Carcinogen, PBT, vPvB
18	蒽油, 蒽糊, 轻油 ⁽²⁾ Anthracene oil, anthracene paste, distn. Lights ⁽²⁾	内部方法 Pony-In-house method, GC-MS	致癌性物质;致畸形物质; 高持久性和高度生物积累性物质 Carcinogen, mutagen, PBT and vPvB
19	蒽油, 蒽糊, 蒽馏分 ⁽²⁾ Anthracene oil, anthracene paste, anthracene fraction ⁽²⁾	内部方法 Pony-In-house method, GC-MS	
20	蒽油, 含蒽量少 ⁽²⁾ Anthracene oil, anthracene-low ⁽²⁾	内部方法 Pony-In-house method, GC-MS	
21	蒽油, 蒽糊 ⁽²⁾ Anthracene oil, anthracene paste ⁽²⁾	内部方法 Pony-In-house method, GC-MS	
22	邻苯二甲酸二异丁酯 Diisobutyl phthalate	参考 Refer to EPA 8061A:1996,GC-MS	生殖系统毒性物质 Toxic for reproduction
23	铬酸铅 ⁽³⁾ Lead chromate ⁽³⁾	参考 Refer to EPA 3052:1996/EPA 3060A:1996, ICP-OES/UV-Vis	致癌性物质;生殖系统毒性物质 Carcinogen; Toxic for reproduction
24	钼铬红 (C.I.颜料红 104) ⁽³⁾ Lead chromate molybdate sulphate red (C.I. Pigment Red 104) ⁽³⁾		
25	铅铬黄 (C.I.颜料黄 34) ⁽³⁾ Lead sulfochromate yellow (C.I. Pigment Yellow 34) ⁽³⁾		
26	三(2-氯乙基)磷酸酯 Tris(2-chloroethyl)phosphate	内部方法 Pony-In-house method, GC-MS	生殖系统毒性物质 Toxic for reproduction
27	煤沥青, 高温 ⁽²⁾ Pitch, coal tar, high temp ⁽²⁾	内部方法 Pony-In-house method, GC-MS	持久性,生物积累性和毒性物质; 致癌性物质;高持久性和高度生 物积累性物质 Carcinogen, PBT, vPvB
28	丙烯酰胺 Acrylamide	内部方法 Pony-In-house method, HPLC	致癌性物质;致畸形物质 Carcinogen; Mutagen

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 4 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
29	三氯乙烯 Trichloroethylene	参考 Refer to EPA 5021:1996,GC	致癌性物质 Carcinogen
30	硼酸 ⁽¹⁾ Boric Acid ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	生殖系统毒性物质 Toxic for reproduction
31	无水四硼酸钠 ⁽¹⁾ Disodium Tetraborate, Anhydrous ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	生殖系统毒性物质 Toxic for reproduction
32	水合四硼酸钠 ⁽¹⁾ Tetraboron Disodium Heptaoxide, Hydrate ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	生殖系统毒性物质 Toxic for reproduction
33	铬酸钠 ⁽¹⁾ Sodium Chromate ⁽¹⁾	内部方法 Pony-In-house method, UV-Vis	致癌性物质;致畸形物质; 生殖系统毒性物质 Carcinogen, Mutagen, Toxic for reproduction
34	铬酸钾 ⁽¹⁾ Potassium Chromate ⁽¹⁾	内部方法 Pony-In-house method, UV-Vis	致癌性物质;致畸形物质 Carcinogen, Mutagen
35	重铬酸钾 ⁽¹⁾ Potassium Dichromate ⁽¹⁾	内部方法 Pony-In-house method, UV-Vis	致癌性物质;致畸形物质, 生殖系统毒性物质 Carcinogen, Mutagen, Toxic for reproduction
36	重铬酸铵 ⁽¹⁾ Ammonium dichromate ⁽¹⁾	内部方法 Pony-In-house method, UV-Vis	致癌性物质;致畸形物质; 生殖系统毒性物质 Carcinogen, Mutagen, Toxic for reproduction
37	硫酸钴 ⁽¹⁾ Cobalt(II) sulphate ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	致癌性物质;生殖系统毒性物质 Carcinogen, Toxic for reproduction
38	硝酸钴 ⁽¹⁾ Cobalt(II) dinitrate ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	致癌性物质;生殖系统毒性物质 Carcinogen, Toxic for reproduction
39	碳酸钴 ⁽¹⁾ Cobalt(II) carbonate ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	致癌性物质;生殖系统毒性物质 Carcinogen, Toxic for reproduction

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 5 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification	
40	醋酸钴 ⁽¹⁾ Cobalt(II) diacetate ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	致癌性物质; 生殖系统毒性物质 Carcinogen, Toxic for reproduction	
41	2-甲氧基乙醇 2-Methoxyethanol	内部方法 Pony-In-house method, GC	生殖系统毒性物质 Toxic for reproduction	
42	2-乙氧基乙醇 2-Ethoxyethanol	内部方法 Pony-In-house method, GC	生殖系统毒性物质 Toxic for reproduction	
43	三氧化铬 ⁽¹⁾ Chromium trioxide ⁽¹⁾	内部方法 Pony-In-house method, UV-Vis	致癌性物质; 致畸形物质 Carcinogen, Mutagen	
44	三氧化二铬及其低聚物 产生的酸 ⁽¹⁾ Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers ⁽¹⁾	铬酸 Chromic acid	内部方法 Pony-In-house method, UV-Vis	致癌性物质 Carcinogen
		二铬酸 Dichromic acid		
		铬酸及二铬酸的 低聚物 Oligomers of chromic acid and dichromic acid		
45	乙二醇乙醚乙酸酯 2-ethoxyethyl acetate	内部方法 Pony-In-house method, GC	生殖系统毒性物质 Toxic for reproduction	
46	铬酸锶 ⁽¹⁾ strontium chromate ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018 ICP-OES	致癌性物质 Carcinogen	
47	1,2-苯二酸-二(C7-11支链-直链)烷基 (醇)酯 ⁽²⁾ 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters ⁽²⁾	参考 Refer to EPA 8061A:1996, GC-MS	生殖系统毒性物质 Toxic for reproduction	
48	联胺, 也称肼 Hydrazine	内部方法 Pony-In-house method, UV-Vis	致癌性物质 Carcinogen	
49	1-甲基-2-吡咯烷酮 1-methyl-2-pyrrolidone	参考 Refer to EPA 8270E:2018, GC-MS	生殖系统毒性物质 Toxic for reproduction	
50	1,2,3-三氯丙烷 1,2,3-trichloropropane	参考 Refer to EPA 5021:1996, GC	致癌性物质; 生殖系统毒性物质 Carcinogen, Toxic for reproduction	
51	邻苯二甲酸-二(C6-8支链与直链)烷基酯, 富C7 ⁽²⁾ 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich ⁽²⁾	参考 Refer to EPA 8061A:1996, GC-MS	生殖系统毒性物质 Toxic for reproduction	

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 6 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
52	铬酸铬 ⁽¹⁾ Dichromium tris(chromate) ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
53	氢氧化铬酸锌钾 ⁽¹⁾ Potassium hydroxyoctaoxodizincatedichromate ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
54	锌黄(C.I.颜料黄 36) ⁽³⁾ Pentazinc chromate octahydroxide ⁽³⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
55	硅酸铝耐火陶瓷纤维 ⁽³⁾ Aluminosilicate Refractory Ceramic Fibres (RCF) ⁽³⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
56	氧化锆硅酸铝耐火陶瓷纤维 ⁽³⁾ Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) ⁽³⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
57	甲醛苯胺共聚物 ⁽³⁾ Formaldehyde, oligomeric reaction products with aniline ⁽³⁾	内部方法 Pony-In-house method, FTIR	致癌性物质 Carcinogen
58	邻苯二甲酸二甲氧乙酯 Bis(2-methoxyethyl) phthalate	参考 Refer to EPA 8061A:1996, GC-MS	生殖系统毒性物质 Toxic for reproduction
59	邻氨基苯甲醚 2-Methoxyaniline; o-Anisidine	参考 Refer to EN 14362-1:2017, GC-MS	致癌性物质 Carcinogen
60	对特辛基苯酚 4-(1,1,3,3-tetramethylbutyl)phenol	内部方法 Pony-In-house method, GC-MS	等效关注 Equivalent concern
61	1,2-二氯乙烷 1,2-Dichloroethane	参考 Refer to EPA 5021:1996, GC	致癌性物质 Carcinogen
62	二乙二醇二甲醚 Bis(2-methoxyethyl) ether	参考 Refer to EPA 8270E:2018, GC-MS	生殖系统毒性物质 Toxic for reproduction
63	砷酸 ⁽¹⁾ Arsenic acid ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
64	砷酸钙 ⁽¹⁾ Calcium arsenate ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质 Carcinogen
65	砷酸铅 ⁽¹⁾ Trilead diarsenate ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	致癌性物质; 生殖系统毒性物质 Carcinogen; Toxic for reproduction

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 7 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
66	N,N-二甲基乙酰胺 N,N-dimethylacetamide	参考 Refer to EPA 3550C:2007,GC-MS	生殖系统毒性物质 Toxic for reproduction
67	酚酞 Phenolphthalein	内部方法 Pony-In-house method, HPLC	致癌性物质 Carcinogen
68	4,4'-亚甲基双-2-氯苯胺 2,2'-dichloro-4,4'-methylened ianiline	参考 Refer to EN 14362-1:2017,GC-MS	致癌性物质 Carcinogen
69	叠氮化铅 ⁽¹⁾ Lead diazide, Lead azide ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018,ICP-OES	生殖系统毒性物质 Toxic for reproduction
70	2,4,6-三硝基苯二酚铅 ⁽¹⁾ Lead styphnate ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018,ICP-OES	生殖系统毒性物质 Toxic for reproduction
71	苦味酸铅 ⁽¹⁾ Lead dipicrate ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018,ICP-OES	生殖系统毒性物质 Toxic for reproduction
72	1,2 双 (2-甲氧乙氧基) 乙烷 (三甘醇二甲醚) 1,2-bis(2-methoxyethoxy)eth ane (TEGDME; triglyme)	参考 Refer to EPA 8270E:2018, GC-MS	生殖系统毒性物质 Toxic for reproduction
73	乙二醇二甲醚 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	参考 Refer to EPA 8270E:2018, GC-MS	生殖系统毒性物质 Toxic for reproduction
74	三氧化二硼 ⁽¹⁾ Diboron trioxide ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018,ICP-OES	生殖系统毒性物质 Toxic for reproduction
75	甲酰胺 Formamide	参考 Refer to EPA 8270E:2018, GC-MS	生殖系统毒性物质 Toxic for reproduction
76	甲基磺酸铅 ⁽¹⁾ Lead(II) bis(methanesulfonate) ⁽¹⁾	参考 Refer to EPA 3052:1996, EPA 6010D:2018, ICP-OES	生殖系统毒性物质 Toxic for reproduction
77	异氰尿酸三缩水甘油酯 TGIC 1,3,5-Tris(oxiran-2-ylmethyl)- 1,3,5-triazinane-2,4,6-trione (TGIC)	内部方法 Pony-In-house method, GC-MS	致畸形物质 Mutagen

本页以下空白 The page below is blank



参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
78	1,3,5-三-[(2S 和 2R) -2,3-环氧丙基]-1,3,5-三嗪-2,4,6- (1H,3H,5H) 三酮 ⁽⁴⁾ β-TGIC 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC) ⁽⁴⁾	参考 Refer to EPA 8270E:2018, GC-MS	致畸形物质 Mutagen
79	4'-二 (N,N-二甲氨基) 二苯甲酮 (四乙基米氏酮) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	参考 Refer to EPA 8270E:2018, GC-MS	致癌性物质 Carcinogen
80	N,N,N',N'-四甲基-4,4'-二氨基二苯甲烷 (米氏碱) N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	参考 Refer to EPA 8270E:2018, GC-MS	致癌性物质 Carcinogen
81	结晶紫 [4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	内部方法, HPLC Pony-In-house method, HPLC	致癌性物质 Carcinogen
82	碱性蓝 [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	内部方法, HPLC Pony-In-house method, HPLC	致癌性物质 Carcinogen
83	A,A-二[4- (二甲氨基) 苯基]-4-苯基氨基-1-萘甲醇 (溶剂蓝 4) α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)	内部方法, HPLC Pony-In-house method, HPLC	致癌性物质 Carcinogen
84	α,α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	内部方法, HPLC Pony-In-house method, HPLC	致癌性物质 Carcinogen

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 9 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
85	十溴联苯醚 Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	参考 Refer to IEC 62321-6 Edition 1.0:2015, GC-MS	持久性,生物积累性和毒性物质;高持久性和高度生物积累性物质 PBT, vPvB
86	全氟十三酸 Pentacosafuorotridecanoic acid	参考 Refer to EPA 3550C:2007 LC-MS/MS	高持久性和高度生物积累性物质 vPvB
87	全氟十二烷酸 Tricosafuorododecanoic acid		
88	全氟十一烷酸 Henicosafuoroundecanoic acid		
89	全氟代十四酸 Heptacosafuorotetradecanoic acid		
90	对特辛基苯酚, 乙氧基-包括界定明确的物质以及 UVCB 物质、聚合物和同系物 ⁽²⁾ 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated ⁽²⁾	参考 Refer to EPA 3550C:2007 HPLC	等效关注 Equivalent concern
91	分支或线性的壬基酚, 含有线性或分支、共价绑定苯酚的 9 个碳烷基链的物质, 包括 UVCB 物质以及任何含有独立或组合的界定明确的同分异构体的物质 ⁽²⁾ 4-Nonylphenol, branched and linear ⁽²⁾		等效关注 Equivalent concern
92	偶氮二甲酰胺 Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	参考 Refer to EPA 3550C:2007 HPLC	等效关注 Equivalent concern

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 10 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
93	六氢邻苯二甲酸酐 Cyclohexane-1,2-dicarboxylic anhydride , cis-cyclohexane-1,2-dicarboxylic anhydride , trans-cyclohexane-1,2-dicarboxylic anhydride		等效关注 Equivalent concern
94	甲基六氢苯酐、4-甲基六氢苯酐、甲 基六氢化邻苯二甲酸酐、3-甲基六氢 苯二甲酐 Hexahydromethylphthalic anhydride、 Hexahydro-4-methylphthalic anhydride、 Hexahydro-1-methylphthalic anhydride、 Hexahydro-3-methylphthalic anhydride	参考 Refer to EPA 3540C:1996 GC-MS	等效关注 Equivalent concern
95	甲氧基乙酸 Methoxy acetic acid	参考 Refer to EPA 3550C:2007 GC-MS	生殖系统毒性物质; 等效关注 Toxic for reproduction; Equivalent concern
96	支链和直链 1,2-苯二羧二戊酯 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	参考 Refer to EPA 8061A:1996 GC-MS	生殖系统毒性物质 Toxic for reproduction
97	邻苯二甲酸二异戊酯 Diisopentylphthalate		
98	邻苯二甲酸正戊基异戊基酯 N-pentyl-isopentylphthalate		
99	乙二醇二乙醚 1,2-Diethoxyethane	参考 Refer to EPA 3550C:2007,GC-MS	生殖系统毒性物质 Toxic for reproduction
100	N,N-二甲基甲酰胺 N,N-dimethylformamide	参考 Refer to EPA 3550C:2007 GC	生殖系统毒性物质 Toxic for reproduction
101	二丁基二氯化锡 Dibutyltin dichloride (DBTC)	参考 Refer to DIN EN ISO 17353:2005 GC-MS	生殖系统毒性物质 Toxic for reproduction

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 11 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
102	碱式乙酸铅 ⁽¹⁾ Acetic acid, lead salt, basic ⁽¹⁾	参考 EPA 3050B:1996/ EPA 3052:1996/ EPA 6010D:2018, ICP-OES	生殖系统毒性物质 Toxic for reproduction
103	碱式碳酸铅 ⁽¹⁾ trilead bis(carbonate)dihydroxide ⁽¹⁾		
104	碱式硫酸铅 ⁽¹⁾ lead oxide sulphate ⁽¹⁾		
105	二盐基邻苯二甲酸铅 ⁽¹⁾ [Phthalato(2-)]dioxotrilead ⁽¹⁾	参考 Refer to EPA 3050B:1996/ EPA 3052:1996/ EPA 6010D:2018/ EPA 3550C:2007, ICP-OES & GC-MS	生殖系统毒性物质 Toxic for reproduction
106	双(十八酸基)二氧代三铅 ⁽¹⁾ Dioxobis(stearato)trilead ⁽¹⁾		
107	C16-18-脂肪酸铅盐 ⁽¹⁾ Fatty acids, C16-18, lead salts ⁽¹⁾		
108	氟硼酸铅 ⁽¹⁾ Lead bis(tetrafluoroborate) ⁽¹⁾		
109	氨基氰铅盐 ⁽¹⁾ Lead cyanamidate ⁽¹⁾	参考 Refer to EPA 3050B:1996/ EPA 3052:1996/ EPA 6010D:2018, ICP-OES	生殖系统毒性物质 Toxic for reproduction
110	硝酸铅 ⁽¹⁾ Lead dinitrate ⁽¹⁾		
111	氧化铅 ⁽¹⁾ Lead monoxide (lead oxide) ⁽¹⁾		
112	四氧化三铅 ⁽¹⁾ Orange lead (lead tetroxide) ⁽¹⁾		
113	钛酸铅 ⁽¹⁾ Lead titanium trioxide ⁽¹⁾	参考 Refer to EPA 3050B:1996/ EPA 3052:1996/ EPA 6010D:2018/ EPA 3050B:1996, ICP-OES	生殖系统毒性物质 Toxic for reproduction
114	钛酸铅锆 ⁽¹⁾ Lead Titanium Zirconium Oxide ⁽¹⁾		
115	氧化铅与硫酸铅的复合物 ⁽³⁾ Pentalead tetraoxide sulphate ⁽³⁾		
116	颜料黄 41 ⁽³⁾ Pyrochlore, antimony lead yellow ⁽³⁾		

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 12 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
117	铅掺杂的硅钡酸盐 ⁽³⁾ Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped ⁽³⁾	参考 Refer to EPA 3052:1996/ EPA 6010D:2018, ICP-OES	生殖系统毒性物质 Toxic for reproduction
118	硅酸铅 ⁽¹⁾ Silicic acid, lead salt ⁽¹⁾		
119	亚硫酸铅(II) ⁽¹⁾ Sulfurous acid, lead salt, dibasic ⁽¹⁾		
120	四乙基铅 ⁽¹⁾ Tetraethyllead ⁽¹⁾	参考 Refer to EPA 3050B:1996/ EPA 3052:1996/ EPA 6010D:2018/ EPA 3550C:2007, ICP-OES & GC-MS	生殖系统毒性物质 Toxic for reproduction
121	三碱式硫酸铅 ⁽¹⁾ Tetralead trioxide sulphate ⁽¹⁾	参考 Refer to EPA 3050B:1996/ EPA 3052:1996/ EPA 6010D:2018, ICP-OES	生殖系统毒性物质 Toxic for reproduction
122	磷酸氧化铅 ⁽¹⁾ Trilead dioxide phosphonate ⁽¹⁾		
123	呋喃 Furan	参考 Refer to EPA 5021:1996, GC	致癌性物质 Carcinogen
124	环氧丙烷 Methyloxirane (Propylene oxide)		致癌性物质;致畸形物质 Carcinogen,Mutagen
125	硫酸二乙酯 Diethyl sulphate	参考 Refer to EPA 3550C:2007, HPLC	致癌性物质;致畸形物质 Carcinogen,Mutagen
126	硫酸二甲酯 Dimethyl sulphate		致癌性物质 Carcinogen
127	3-乙基-2-甲基-2-(3-甲基丁基)-1,3-噁唑烷 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	参考 Refer to EPA 3550C:2007 GC-MS	生殖系统毒性物质 Toxic for reproduction
128	地乐酚 Dinoseb (6-sec-butyl-2,4-dinitrophenol)	参考 Refer to EPA 3550C:2007 HPLC	生殖系统毒性物质 Toxic for reproduction
129	4,4'-二氨基-3,3'-二甲基二苯甲烷 4,4'-methylenedi-o-toluidine	参考 Refer to EN 14362-1&3:2017,GC-MS	致癌性物质 Carcinogen
130	4,4'-二氨基二苯醚 4,4'-oxydianiline and its salts		致癌性物质; 致畸形物质 Carcinogen,Mutagen

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 13 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
131	4-氨基偶氮苯 4-Aminoazobenzene	参考 Refer to EN14362-1&3:2017, GC-MS	致癌性物质 Carcinogen
132	2,4-二氨基甲苯 4-methyl-m-phenylenediamine (2,4-toluene-diamine)	参考 Refer to EN 14362-1:2017,GC-MS	致癌性物质 Carcinogen
133	2-甲氧基-5-甲基苯胺 6-methoxy-m-toluidine (p-cresidine)		致癌性物质 Carcinogen
134	4-氨基联苯 Biphenyl-4-ylamine		致癌性物质 Carcinogen
135	邻氨基偶氮甲苯 o-aminoazotoluene		致癌性物质 Carcinogen
136	邻甲基苯胺 o-Toluidine		致癌性物质 Carcinogen
137	N-甲基乙酰胺 N-methylacetamide	参考 Refer to EPA 3550C:2007, GC-MS	生殖系统毒性物质 Toxic for reproduction
138	溴代正丙烷 1-bromopropane (n-propyl bromide)	参考 Refer to EPA 5021:1996,GC	生殖系统毒性物质 Toxic for reproduction
139	镉 Cadmium	参考 Refer to EPA 3052:1996, ICP-OES	致癌性物质; 等效关注 Carcinogen, Equivalent concern
140	氧化镉 ⁽¹⁾ Cadmium oxide ⁽¹⁾	参考 Refer to EPA 3052:1996, ICP-OES	致癌性物质; 等效关注 Carcinogen, Equivalent concern
141	邻苯二甲酸二正戊酯 Dipentyl phthalate (DPP)	参考 Refer to EPA 8061A:1996, GC-MS	生殖系统毒性物质 Toxic for reproduction
142	壬基酚聚氧乙烯醚(支链和直链的)支链和直链的乙氧基壬基酚, 包括含有 9 个碳烷基链的所有独立的同分异构体和所有含有支链和直链的 9 个碳烷基链的 UVCB 物质 ⁽²⁾ 4-Nonylphenol, branched and linear, ethoxylated ⁽²⁾	参考 Refer to EPA 3550C:2007, HPLC	等效关注 Equivalent concern
143	全氟辛酸铵 Ammonium pentadecafluorooctanoate (APFO)	参考 Refer to EPA 3550C:2007, LC-MS/MS	生殖系统毒性物质; 持久性,生物积累性和毒性物质 Toxic for reproduction, PBT
144	全氟辛酸 Pentadecafluorooctanoic acid (PFOA)	参考 Refer to EPA 3550C:2007, LC-MS/MS	生殖系统毒性物质; 持久性,生物积累性和毒性物质 Toxic for reproduction, PBT

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 14 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
145	硫化镉 ⁽¹⁾ Cadmium sulphide ⁽¹⁾	参考 Refer to EPA3052:1996, ICP-OES	致癌性物质;等效关注 Carcinogen, Equivalent concern
146	C.I.直接黑 38 Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	内部方法 Pony-In-house method, HPLC	致癌性物质 Carcinogen
147	邻苯二甲酸二己酯 Dihexyl phthalate	参考 Refer to EPA 8061A:1996,GC-MS	生殖系统毒性物质 Toxic for reproduction
148	2-巯基咪唑啉; 2-咪唑啉硫酮; 亚乙基硫脲 Imidazolidine-2-thione; (2-imidazoline-2-thiol)	内部方法 Pony-In-house method,GC-MS	生殖系统毒性物质 Toxic for reproduction
149	磷酸三(二甲苯)酯 Trixylyl phosphate	参考 Refer to EPA 8270E:2018,GC-MS	生殖系统毒性物质 Toxic for reproduction
150	刚果红 (C.I.直接红 28) Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis (4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	内部方法 Pony-In-house method, HPLC	致癌性物质 Carcinogen
151	醋酸铅 (II) ⁽¹⁾ Lead di(acetate) ⁽¹⁾	参考 Refer to EPA 3052:1996,ICP-OES	生殖系统毒性物质 Toxic for reproduction
152	邻苯二甲酸二己酯 (支链和直链) 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	参考 Refer to EPA 8061A:1996,GC-MS	生殖系统毒性物质 Toxic for reproduction
153	过硼酸钠,过硼酸钠盐 ⁽¹⁾ Sodium perborate;perboric acid, sodium salt ⁽¹⁾	参考 Refer to EPA3052:1996, ICP-OES	生殖系统毒性物质 Toxic for reproduction
154	过硼酸钠 ⁽¹⁾ Sodium peroxometaborate ⁽¹⁾	参考 Refer to EPA3052:1996, ICP-OES	生殖系统毒性物质 Toxic for reproduction
155	氯化镉 ⁽¹⁾ Cadmium chloride ⁽¹⁾	参考 Refer to EPA3052:1996, ICP-OES	致癌性物质; 至突变物质; 生殖系统毒性物质; 等效关注 CMR, Equivalent concern
156	2-(2'-羟基-3',5'-二叔丁基苯基)-苯并三唑 (UV-320) 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	参考 Refer to EPA 3540C:1996, GC-MS	持久性, 生物积累性和毒性物质; 高持久性和高度生物积累性物质 PBT, vPvB
157	2-(2H-苯并三氮唑-2-基)-4,6-二叔戊基苯酚 (UV-328) 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	参考 Refer to EPA 3540C:1996, GC-MS	持久性, 生物积累性和毒性物质; 高持久性和高度生物积累性物质 PBT, vPvB

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 15 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
158	二正辛基-双(巯乙酸 2-乙基己酯)锡 (DOTE) (²)2-ethylhexyl10-ethyl-4,4-dioctyl- 7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoat e (DOTE) (²)	参考 Refer to EPA 3052:1996, ICP-OES	生殖系统毒性物质 Toxic for reproduction
159	二正辛基-双(巯乙酸 2-乙基己酯) (DOTE) 和三(2-乙基己基巯基乙酸酯)辛锡 (MOTE) 反应物 (²)(³)reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-s tannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]th io]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetr adecanoate (reaction mass of DOTE and MOTE) (²)(³)	参考 Refer to EPA 3052:1996, ICP-OES	生殖系统毒性物质 Toxic for reproduction
160	氟化镉(¹)Cadmium fluoride(¹)	参考 Refer to EPA 3052:1996, ICP-OES	致癌性物质; 致畸性物质; 生殖系统毒性物质; 等效关注 Carcinogen, Mutagen, Toxic for reproduction, Equivalent concern
161	硫酸镉(¹)Cadmium sulphate(¹)	参考 Refer to EPA 3052:1996, ICP-OES	致癌性物质; 致畸性物质; 生殖系统毒性物质; 等效关注 Carcinogen, Mutagen, Toxic for reproduction, Equivalent concern
162	1,2-邻苯二甲酸二(C6-C10) 烷基酯; 1,2-邻苯 二甲酸(癸基, 己基, 辛基) 酯的复合物, 且邻苯 二甲酸二己酯含量≥0.3%(²) 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with≥0.3% of dihexyl phthalate (EC No. 201-559-5) (²)	参考 Refer to EPA 8061A:1996, GC-MS	生殖系统毒性物质 Toxic for reproduction

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 16 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
163	5-仲丁基-2-(2,4-二甲基环丁-3-烯-1-基)-5-甲基-1,3-二恶烷[1]和 5-仲丁基-2-(4,6-二甲基环己-3-烯-1-基)-5-甲基-1,3-二恶烷[2] (卡拉花醛同分异构体) ⁽²⁾ 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] ⁽²⁾	参考 Refer to EPA 8270E:2018, GC-MS	高持久性和高度生物积累性物质 vPvB
164	1,3-丙烷磺内酯 1,3-propanesultone	内部方法 Pony-In-house method, GC-MS	致癌性物质 Carcinogen
165	2-(2'-羟基-3',5'-二叔丁基苯基)-5-氯代苯并三唑 (UV327) 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	参考 Refer to EPA 3540C:1996, GC-MS	高持久性、生物累积性物质 vPvB
166	2-(2'-羟基-3'-异丁基-5'-叔丁基苯基)苯并三唑 (UV350) 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol(UV-350)	参考 Refer to EPA 3540C:1996, GC-MS	高持久性、生物累积性物质 vPvB
167	硝基苯 Nitrobenzene	参考 Refer to EPA 8270E:2018, GC-MS	致生殖毒性物质 Toxic for reproduction
168	全氟壬酸及其钠盐和氨盐 ⁽²⁾ Perfluorononan-1-oic-acid and its sodium and ammonium salts ⁽²⁾	参考 Refer to EPA 3550C:2007, LC-MS/MS	致生殖毒性物质; 持久性、生物累积性、毒性物质 Toxic for reproduction; PBT
169	苯并(a)芘 Benzo[def]chrysene (Benzo[a]pyrene)	参考 Refer to EPA 3540C:1996, GC-MS	致癌性、致突变性、致生殖毒性、持久性、生物累积性和毒性 Carcinogenic, Mutagenic, Toxic for reproduction, PBT, vPvB
170	4-庚基苯酚, 支链和直链 ⁽³⁾ 4-Heptylphenol, branched and linear ⁽³⁾	内部方法, HPLC Pony-In-house method, HPLC	等效关注 Equivalent concern
171	全氟癸酸, 全氟癸酸钠和全氟癸酸铵 ⁽³⁾ Nonadecafluorodecanoic acid and its sodium and ammonium salts ⁽³⁾	内部方法, LC-MS/MS Pony-In-house method, LC-MS/MS	致生殖系统毒性物质; 持久性、生物累积性和毒性物质 Toxic for reproduction, vPvB

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 17 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
172	对叔戊基苯酚p-(1,1-dimethylpropyl)phenol	内部方法, HPLC Pony-In-house method,HPLC	等效关注Equivalent concern
173	4,4'-异亚丙基双(双酚 A) 4,4'-isopropylidenediphenol (bisphenol A; BPA)	内部方法, HPLC Pony-In-house method, HPLC	生殖系统毒性物质、内分泌干扰性 Toxic for reproduction, endocrine disrupting properties
174	全氟己基磺酸类 Perfluorohexane-1-sulphonic acid and its salts	内部方法, UPLC-MS/MS Pony-In-house method, UPLC-MS/MS	高持久性、生物累积性物质 vPvB
175	德克隆[包括所有反式和顺式异构体及其组 合] Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	内部方法 Pony-In-house method,GC-MS	高持久性和高度生物累积性物质 vPvB
176	苯并[a]蒽 Benz[a]anthracene	内部方法 Pony-In-house method,GC-MS	致癌性物质;持久性,生物累积性 和毒性物质;高持久性和高度生物 累积性物质 Carcinogen, PBT, vPvB
177	蒽Chrysene		
178	硝酸镉 ⁽¹⁾ Cadmium nitrate ⁽¹⁾	参考 Refer to EPA 3052:1996, ICP-OES	致癌 致突变 经重复接触后, 引起特定器官中毒 Carcinogenic, Mutagenic, After repeated contact, Poisoning caused a particular organ
179	碳酸镉 ⁽¹⁾ Cadmium carbonate ⁽¹⁾		
180	氢氧化镉 ⁽¹⁾ Cadmium hydroxide ⁽¹⁾		
181	1,3,4-噻二唑烷-2,5-二硫酮, 甲醛和 4-庚基 苯酚的支链和直链(RP-HP)的反应产物[4- 庚基苯酚, 支链和直链含量≥0.1% w / w] ⁽²⁾ Reaction products of 1,3,4- thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear] ⁽²⁾	内部方法 Pony-In-house method, GC-MS	内分泌干扰性-环境 endocrine disrupting properties- environment
182	苯并(g,h,i)芘 Benzo[ghi]perylene	内部方法 Pony-In-house method,GC-MS	致癌性物质;持久性,生物累积性 和毒性物质;高持久性和高度生物 累积性物质 Carcinogen, PBT, vPvB
183	十甲基环五硅氧烷(D5) Decamethylcyclopentasiloxane(D5)	内部方法 Pony-In-house method, GC-MS	

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 18 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
184	氧化硼钠 ⁽¹⁾ Disodium octaborate ⁽¹⁾	参考 Refer to EPA 3052:1996, ICP-OES	生殖系统毒性物质 Toxic for reproduction
185	十二甲基环六硅氧烷(D6) Dodecamethylcyclohexasiloxane (D6)	内部方法 Pony-In-house method, GC-MS	致癌性物质; 持久性, 生物积累性和毒性物质; 高持久性和高度生物积累性物质 Carcinogen, PBT, vPvB
186	乙二胺 Ethylenediamine	内部方法 Pony-In-house method, GC	等效关注 Equivalent concern
187	铅 Lead	参考 Refer to EPA 3052:1996/ EPA 6010D:2018, ICP-OES	生殖系统毒性物质 Toxic for reproduction
188	八甲基环四硅氧烷(D4) Octamethylcyclotetrasiloxane(D4)	内部方法 Pony-In-house method, GC-MS	致癌性物质; 持久性, 生物积累性和毒性物质; 高持久性和高度生物积累性物质 Carcinogen, PBT, vPvB
189	氢化三联苯 Terphenyl hydrogenated	内部方法 Pony-In-house method, GC-MS	高持久性、生物累积性物质 vPvB
190	苯-1,2,4-三羧酸 1,2-酐(偏苯三酸酐)(TMA) Benzene-1,2,4-tricarboxylic acid 1,2-anhydrode (trimellitic anhydride) (TMA)	内部方法 Pony-In-house method, LC	等效关注 Equivalent concern
191	邻苯二甲酸二环己酯 Dicyclohexyl phthalate(DCHP)	内部方法 Pony-In-house method, GC-MS	生殖系统毒性物质 Toxic for reproduction
192	4,4'-(1,3-二甲基丁基)二苯酚 2,2-bis(4'-hydroxyphenyl)-4-methylpentane	内部方法, Pony-In-house method, GC-MS	生殖毒性 Toxic for reproduction
193	苯并(k)荧蒽 Benzo[k]fluoranthene	内部方法, Pony-In-house method, GC-MS	致癌性物质; 持久性, 生物积累性和毒性物质; 高持久性和高度生物积累性物质 Carcinogen, PBT, vPvB

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 19 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
194	荧蒽Fluoranthene	内部方法, Pony-In-house method, GC-MS	持久生物累积毒性, 高持久性和生物累积性物质 PBT, vPvB
195	菲Phenanthrene	内部方法, Pony-In-house method, GC-MS	高持久性和生物累积性物质 vPvB
196	芘Pyrene	内部方法, Pony-In-house method, GC-MS	持久生物累积毒性, 高持久性和生物累积性物质 PBT, vPvB
197	1,7,7-三甲基-3-(苯基亚甲基)双环[2.2.1]庚-2-酮或3-亚苄基樟脑 3-benzylidene camphor	内部方法 Pony-In-house method, GC-MS	内分泌干扰 Endocrine disrupting properties
198	2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其盐和酰基卤化物(包含其同分异构体和混合物) ⁽²⁾ 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)(HFPO-DA) ⁽²⁾	内部方法 Pony-In-house method, LC-MS/MS	等效关注 Equivalent concern
199	2-甲氧基乙酸乙酯 2-methoxyethyl acetate	内部方法 Pony-In-house method, GC-MS	生殖毒性 Toxic for reproduction
200	(4-壬基苯基)亚磷酸酯(≥0.1%4-壬基苯基, 直连和支链) ⁽²⁾ Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)(TNPP) ⁽²⁾	内部方法 Pony-In-house method, LC-MS/MS	内分泌干扰特性-环境 endocrine disrupting properties-environment
201	4-叔丁基苯酚 4-tert-butylphenol	内部方法 Pony-In-house method, GC-MS	等效关注 Equivalent concern

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 20 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
202	2-苄基-2-二甲基氨基-1-(4-吗啉苯基) 2-benzyl-2-dimethylamino-4'-morpholinobut yrophene	内部方法 Pony-In-house method,LC	生殖毒性 Toxic for reproduction
203	2-甲基-1-(4-甲硫基苯)-2-吗啉基-1-丙酮 2-methyl-1-(4-methylthiophenyl)-2-morpholi nopropan-1-one	内部方法 Pony-In-house method,LC	生殖毒性 Toxic for reproduction
204	邻苯二甲酸二异己酯 Diisohexyl phthalate	内部方法 Pony-In-house method GC-MS	生殖毒性 Toxic for reproduction
205	全氟丁烷磺酸 (PFBS) 及其盐 Perfluorobutane sulfonic acid (PFBS) and its salts	内部方法 Pony-In-house method, LC-MS/MS	等效关注 Equivalent concern
206	1-乙烯基咪唑 1-vinylimidazole	内部方法 Pony-In-house method, LC	生殖毒性 Toxic for reproduction
207	2-甲基咪唑 2-methylimidazole	内部方法 Pony-In-house method, LC	生殖毒性 Toxic for reproduction
208	4-羟基苯甲酸丁酯 Butyl 4-hydroxybenzoate	内部方法 Pony-In-house method GC-MS	内分泌干扰特性-人体健 康 Endocrine disrupting properties- human health
209	二正丁基双(乙酰丙酮基)锡 Dibutylbis(pentane-2,4-dionato-O,O')tin	内部方法 Pony-In-house method GC-MS	生殖毒性 Toxic for reproduction
210	四乙二醇二甲醚 Bis(2-(2-methoxyethoxy)ethyl)ether; (Tetraglyme)	内部方法 Pony-In-house method, GC-MS	生殖毒性 Toxic for reproduction

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 21 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
211	二月桂酸二辛基锡, 锡烷, 二辛基-, 双(椰油酰氧基)衍生物, 以及任何其他锡烷, 二辛基-, 双(脂肪酰氧基)衍生物。其中 C12 为脂肪酰氧基部分的主要碳原子数 ⁽¹⁾ Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	生殖毒性 Toxic for reproduction
	锡烷, 二辛基-, 双(椰油酰氧基)衍生物 ⁽¹⁾ Stannane, dioctyl-, bis(coco acyloxy) derivs ⁽¹⁾ (CAS No.: 91648-39-4 EC No.: 293-901-5)		
	二月桂酸二辛基锡 ⁽¹⁾ Dioctyltin dilaurate ⁽¹⁾ (CAS No.: 3648-18-8 EC No.: 222-883-3)		
212	1,4-二噁烷 1,4-dioxane	内部方法 Pony-In-house method, GC-MS	等效关注 Equivalent concern
213	2,2-双(溴甲基)-1,3-丙二醇 (BMP) 2,2-bis(bromomethyl) propane-1,3-diol(BMP)	内部方法 Pony-In-house method, GC-MS	致癌性物质 Carcinogen
	三溴新戊醇/3-溴-2,2-二溴乙基丙醇(TBNPA) 2,2-dimethylpropan-1-ol, tribromoderivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA)		
	2,3-二溴丙醇(2,3-DBPA) 2,3-dibromo-1-propanol (2,3-DBPA)		
214	2-(4-叔丁基苄基)丙醛及其立体异构体 ⁽²⁾ 2-(4-tert-butylbenzyl) propionaldehyde and its individual stereoisomers ⁽²⁾	内部方法 Pony-In-house method, GC-MS	生殖毒性 Toxic for reproduction
215	4,4'-(1-甲基亚丙基)双酚;(双酚 B) 4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	内部方法 Pony-In-house method, GC-MS	内分泌干扰 Endocrine disrupting properties
216	戊二醛 Glutaral	内部方法 Pony-In-house method,GC	呼吸敏感特性-人类健康 respiration sensitivity characteristics - human health

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
217	中链氯化石蜡 (MCCP) (UVCB 物质, 由 ≥ 80% 的直链氯代烷烃组成, 碳链长度在 C ₁₄ 到 C ₁₇ 之间) ⁽²⁾ Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C ₁₄ to C ₁₇] ⁽²⁾	内部方法 Pony-In-house method, GC-MS	持久生物累积毒性, 高持久性和生物累积性物质 PBT, vPvB
218	硼酸钠, 钠盐 ⁽¹⁾ Orthoboric acid, sodium salt ⁽¹⁾	内部方法 Pony-In-house method, ICP-OES	生殖毒性 Toxic for reproduction
219	碳链(C ₁₂ 为主, 直链或支链)主要在对位的烷基酚物质及其任何单个异构体或组合 (PDDP) ⁽²⁾ Phenol, alkylation products (mainly in para position) with C ₁₂ -rich branched or linear alkyl chains from oligomerisation, covering any individual ⁽²⁾	内部方法 Pony-In-house method, HPLC	生殖毒性 Toxic for reproduction; 内分泌干扰 Endocrine disrupting properties
220	(±)-1,7,7-三甲基-3-[(4-甲基苯基)亚甲基]双环[2.2.1]庚-2-酮, 包括任何单独的异构体和/或其组合(4-MBC) (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene] bicyclo[2.2.1] heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	内部方法 Pony-In-house method, GC-MS	内分泌干扰特性-人类健康 Endocrine disrupting properties-human health
221	2,2'-亚甲基双-(4-甲基-6-叔丁基苯酚)(DBMC) 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	内部方法 Pony-In-house method, GC-MS	生殖毒性 Toxic for reproduction
222	S-(三环[5.2.1.0 ^{2,6}]癸-3-烯-8(或 9)-基)O-(异丙基或异丁基或 2-乙基己基)O-(异丙基或异丁基或 2-乙基己基)二硫代磷酸酯 ⁽¹⁾ S-(tricyclo(5.2.1.0 ^{2,6})deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate ⁽¹⁾	内部方法 Pony-In-house method, GC-MS & ICP-OES	持久性、生物累积性及毒性 PBT
223	乙烯基-三(2-甲氧基乙氧基)硅烷 Tris(2-methoxyethoxy)vinylsilane	内部方法 Pony-In-house method, GC-MS	生殖毒性 Toxic for reproduction
224	N-羟甲基丙烯酰胺 N-(hydroxymethyl)acrylamide	内部方法 Pony-In-house method, HPLC	致癌性物质; 致畸形物质 Carcinogen, Mutagen

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 23 of 52

参考方法 Reference Method:

序号 No.	物质名称 Substance Name(s)	参考方法及仪器 Reference Methods and Equipments	物质分类 Substance Classification
225	1,2-二(2,4,6-三溴苯氧基)乙烷 1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene]	参考 Refer to EPA 3550C:2007,GC-MS	高持久性和生物累积性物质 vPvB
226	四溴双酚 A 2,2',6,6'-tetrabromo-4,4'-isopropylidene diphenol	参考 Refer to EPA 3550C:2007,GC-MS	致癌性 Carcinogenic
227	双酚 S 4,4'-sulphonyldiphenol	参考 Refer to EPA 3550C:2007,GC-MS	生殖毒性,内分泌干扰特性-环境; 内分泌干扰特性-人体健康 Toxic for Reproduction, endocrine disrupting properties-environment; Endocrine disrupting properties-human health
228	偏硼酸钡 ⁽³⁾ Barium diboron tetraoxide ⁽³⁾	参考 Refer to EPA 3052:1996/ EPA 6010D:2018, ICP-OES	生殖毒性 Toxic for reproduction
229	3,4,5,6-四溴-1,2-苯二羧酸双(2-乙基己基)酯, 包括包括任何单独的异构体和/或其组合 Bis(2-ethylhexyl)tetrabromophthalate covering any of the individual isomers and/or combinations thereof	参考 Refer to EPA 3550C:2007,GC-MS	高持久性和生物累积性物质 vPvB
230	4-羟基苯甲酸 2-甲基丙酯 Isobutyl 4-hydroxybenzoate	参考 Refer to EPA 8061A:1996,GC-MS	内分泌干扰特性-人体健康 Endocrine disrupting properties-human health
231	三聚氰胺 Melamine	内部方法 Pony-In-house method, LC	会对人类或环境引起严重影响的物质 Equivalent level of concern having probable serious effects to human health or the environment
232	全氟庚酸及其盐 Perfluoroheptanoic acid and its salts	参考 Refer to EPA 3550C:2007&EPA 8321B:2007, LC-MS	生殖毒性; 持久生物累积毒性, 高持久性和生物累积性物质; 会对人类或环境引起严重影响的物质 Toxic for reproduction; PBT,vPvB; Equivalent level of concern having probable serious effects to human health or the environment
233	2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)吗啉 2,2,3,3,5,5,6,6-八氟烷-4-(七氟丙基)吗啉的反应物料 ⁽¹⁾ reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine ⁽¹⁾	参考 Refer to EN14582:2016, IC	高持久性和生物累积性物质 vPvB

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 24 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
1	蒽 Anthracene	120-12-7	204-371-1	0.0005	未检出 N.D.
2	邻苯二甲酸丁苄酯 Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0.003	未检出 N.D.
3	邻苯二甲酸二丁酯 Dibutyl phthalate (DBP)	84-74-2	201-557-4	0.003	未检出 N.D.
4	邻苯二甲酸二(2-乙基)己酯 Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	204-211-0	0.003	未检出 N.D.
5	六溴环十二烷及其非对映异构体 Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)	247-148-4/ 221-695-9	0.005	未检出 N.D.
6	4,4'-二氨基二苯基甲烷 4,4'-Diaminodiphenylmethane (MDA)	101-77-9	202-974-4	0.005	未检出 N.D.
7	C10-13 短链氯化石蜡 Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	287-476-5	0.01	未检出 N.D.
8	二甲苯麝香 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	201-329-4	0.005	未检出 N.D.
9	三乙基砷酸酯 ⁽¹⁾ Triethyl arsenate ⁽¹⁾	15606-95-8	427-700-2	0.005	未检出 N.D.
10	氧化双三丁基锡 Bis(tributyltin)oxide(TBTO)	56-35-9	200-268-0	0.01	未检出 N.D.
11	二氯化钴 ⁽¹⁾ Cobalt dichloride ⁽¹⁾	7646-79-9	231-589-4	0.01	未检出 N.D.
12	五氧化二砷 ⁽¹⁾ Diarsenic pentaoxide ⁽¹⁾	1303-28-2	215-116-9	0.01	未检出 N.D.
13	三氧化二砷 ⁽¹⁾ Diarsenic trioxide ⁽¹⁾	1327-53-3	215-481-4	0.01	未检出 N.D.
14	重铬酸钠 ⁽¹⁾ Sodium dichromate ⁽¹⁾	7789-12-0, 10588-01-9	234-190-3	0.01	未检出 N.D.
15	砷酸氢铅 ⁽¹⁾ Lead hydrogen arsenate ⁽¹⁾	7784-40-9	232-064-2	0.01	未检出 N.D.
16	2,4-二硝基甲苯 2,4-Dinitrotoluene	121-14-2	204-450-0	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 25 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
17	蒽油 ⁽²⁾ Anthracene oil ⁽²⁾	90640-80-5	292-602-7		
18	蒽油, 蒽糊, 轻油 ⁽²⁾ Anthracene oil, anthracene paste, distn. Lights ⁽²⁾	91995-17-4	295-278-5		
19	蒽油, 蒽糊, 蒽馏分 ⁽²⁾ Anthracene oil, anthracene paste, anthracene fraction ⁽²⁾	91995-15-2	295-275-9	0.050	未检出 N.D.
20	蒽油, 含蒽量少 ⁽²⁾ Anthracene oil, anthracene-low ⁽²⁾	90640-82-7	292-604-8		
21	蒽油, 蒽糊 ⁽²⁾ Anthracene oil, anthracene paste ⁽²⁾	90640-81-6	292-603-2		
22	邻苯二甲酸二异丁酯 Diisobutyl phthalate	84-69-5	201-553-2	0.003	未检出 N.D.
23	铬酸铅 ⁽³⁾ Lead chromate ⁽³⁾	7758-97-6	231-846-0	0.005	未检出 N.D.
24	钼铬红 (C.I.颜料红 104) ⁽³⁾ Lead chromate molybdate sulphate red (C.I. Pigment Red 104) ⁽³⁾	12656-85-8	235-759-9	0.005	未检出 N.D.
25	铅铬黄 (C.I.颜料黄 34) ⁽³⁾ Lead sulphochromate yellow (C.I. Pigment Yellow 34) ⁽³⁾	1344-37-2	215-693-7	0.005	未检出 N.D.
26	三(2-氯乙基)磷酸酯 Tris(2-chloroethyl)phosphate	115-96-8	204-118-5	0.005	未检出 N.D.
27	煤沥青, 高温 ⁽²⁾ Pitch, coal tar, high temp ⁽²⁾	65996-93-2	266-028-2	0.050	未检出 N.D.
28	丙烯酰胺 Acrylamide	79-06-1	201-173-7	0.005	未检出 N.D.
29	三氯乙烯 Trichloroethylene	79-01-6	201-167-4	0.01	未检出 N.D.
30	硼酸 ⁽¹⁾ Boric Acid ⁽¹⁾	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 26 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result	
31	无水四硼酸钠 ⁽¹⁾ Disodium Tetraborate, Anhydrous ⁽¹⁾	1330-43-4 12179-04-3 1303-96-4	215-540-4	0.01	未检出 N.D.	
32	水合四硼酸钠 ⁽¹⁾ Tetraboron Disodium Heptaoxide, Hydrate ⁽¹⁾	12267-73-1	235-541-3	0.01	未检出 N.D.	
33	铬酸钠 ⁽¹⁾ Sodium Chromate ⁽¹⁾	7775-11-3	231-889-5	0.01	未检出 N.D.	
34	铬酸钾 ⁽¹⁾ Potassium Chromate ⁽¹⁾	7789-00-6	232-140-5	0.01	未检出 N.D.	
35	重铬酸钾 ⁽¹⁾ Potassium Dichromate ⁽¹⁾	7778-50-9	231-906-6	0.01	未检出 N.D.	
36	重铬酸铵 ⁽¹⁾ Ammonium dichromate ⁽¹⁾	7789-09-5	232-143-1	0.01	未检出 N.D.	
37	硫酸钴 ⁽¹⁾ Cobalt(II) sulphate ⁽¹⁾	10124-43-3	233-334-2	0.01	未检出 N.D.	
38	硝酸钴 ⁽¹⁾ Cobalt(II) dinitrate ⁽¹⁾	10141-05-6	233-402-1	0.01	未检出 N.D.	
39	碳酸钴 ⁽¹⁾ Cobalt(II) carbonate ⁽¹⁾	513-79-1	208-169-4	0.01	未检出 N.D.	
40	醋酸钴 ⁽¹⁾ Cobalt(II) diacetate ⁽¹⁾	71-48-7	200-755-8	0.01	未检出 N.D.	
41	2-甲氧基乙醇 2-Methoxyethanol	109-86-4	203-713-7	0.01	未检出 N.D.	
42	2-乙氧基乙醇 2-Ethoxyethanol	110-80-5	203-804-1	0.01	未检出 N.D.	
43	三氧化铬 ⁽¹⁾ Chromium trioxide ⁽¹⁾	1333-82-0	215-607-8	0.01	未检出 N.D.	
44	三氧化二铬及其低聚物产生的酸 ⁽¹⁾ Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers ⁽¹⁾	铬酸 Chromic acid	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01	未检出 N.D.
		二铬酸 Dichromic acid			0.01	未检出 N.D.
		铬酸及二铬酸的 低聚物 Oligomers of chromic acid and dichromic acid			0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 27 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
45	乙二醇乙醚乙酸酯 2-ethoxyethyl acetate	111-15-9	203-839-2	0.01	未检出 N.D.
46	铬酸锶 ⁽¹⁾ strontium chromate ⁽¹⁾	7789-06-2	232-142-6	0.01	未检出 N.D.
47	1,2-苯二酸-二(C7-11支链-直链)烷基 (醇) ⁽²⁾ 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters ⁽²⁾	68515-42-4	271-084-6	0.01	未检出 N.D.
48	联胺, 也称肼 Hydrazine	7803-57-8 302-01-2	206-114-9	0.01	未检出 N.D.
49	1-甲基-2-吡咯烷酮 1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.01	未检出 N.D.
50	1,2,3-三氯丙烷 1,2,3-trichloropropane	96-18-4	202-486-1	0.01	未检出 N.D.
51	邻苯二甲酸-二(C6-8支链与直链)烷基 酯, 富 C7 ⁽²⁾ 1,2-Benzenedicarboxylic acid, di-C6-8-br anched alkyl esters, C7-rich ⁽²⁾	71888-89-6	276-158-1	0.01	未检出 N.D.
52	铬酸铬 ⁽¹⁾ Dichromium tris(chromate) ⁽¹⁾	24613-89-6	246-356-2	0.01	未检出 N.D.
53	氢氧化铬酸锌钾 ⁽¹⁾ Potassium hydroxyoctaoxidizincatedichromate ⁽¹⁾	11103-86-9	234-329-8	0.01	未检出 N.D.
54	锌黄(C.I.颜料黄 36) ⁽³⁾ Pentazinc chromate octahydroxide ⁽³⁾	49663-84-5	256-418-0	0.01	未检出 N.D.
55	硅酸铝耐火陶瓷纤维 ⁽³⁾ Aluminosilicate Refractory Ceramic Fibres (RCF) ⁽³⁾	—	—	0.01	未检出 N.D.
56	氧化锆硅酸铝耐火陶瓷纤维 ⁽³⁾ Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) ⁽³⁾	—	—	0.01	未检出 N.D.
57	甲醛苯胺共聚物 ⁽³⁾ Formaldehyde, oligomeric reaction products with aniline ⁽³⁾	25214-70-4	500-036-1	0.05	未检出 N.D.
58	邻苯二甲酸二甲氧乙酯 Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.003	未检出 N.D.
59	邻氨基苯甲醚 2-Methoxyaniline; o-Anisidine	90-04-0	201-963-1	0.005	未检出 N.D.

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 28 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
60	对特辛基苯酚 4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	205-426-2	0.005	未检出 N.D.
61	1,2-二氯乙烷 1,2-Dichloroethane	107-06-2	203-458-1	0.01	未检出 N.D.
62	二乙二醇二甲醚 Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.01	未检出 N.D.
63	砷酸 ⁽¹⁾ Arsenic acid ⁽¹⁾	7778-39-4	231-901-9	0.01	未检出 N.D.
64	砷酸钙 ⁽¹⁾ Calcium arsenate ⁽¹⁾	7778-44-1	231-904-5	0.01	未检出 N.D.
65	砷酸铅 ⁽¹⁾ Trilead diarsenate ⁽¹⁾	3687-31-8	222-979-5	0.01	未检出 N.D.
66	N,N-二甲基乙酰胺 N,N-dimethylacetamide	127-19-5	204-826-4	0.01	未检出 N.D.
67	酚酞 Phenolphthalein	77-09-8	201-004-7	0.01	未检出 N.D.
68	4,4'-亚甲基双-2-氯苯胺 2,2'-dichloro-4,4'-methylenedianiline	101-14-4	202-918-9	0.005	未检出 N.D.
69	叠氮化铅 ⁽¹⁾ Lead diazide, Lead azide ⁽¹⁾	13424-46-9	236-542-1	0.01	未检出 N.D.
70	2,4,6-三硝基苯二酚铅 ⁽¹⁾ Lead styphnate ⁽¹⁾	15245-44-0	239-290-0	0.01	未检出 N.D.
71	苦味酸铅 ⁽¹⁾ Lead dipicrate ⁽¹⁾	6477-64-1	229-335-2	0.01	未检出 N.D.
72	1,2 双(2-甲氧乙氧基)乙烷(三甘醇二甲醚) 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.01	未检出 N.D.
73	乙二醇二甲醚 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01	未检出 N.D.
74	三氧化二硼 ⁽¹⁾ Diboron trioxide ⁽¹⁾	1303-86-2	215-125-8	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 29 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
75	甲酰胺 Formamide	75-12-7	200-842-0	0.01	未检出 N.D.
76	甲基磺酸铅 ⁽¹⁾ Lead(II) bis(methanesulfonate) ⁽¹⁾	17570-76-2	401-750-5	0.01	未检出 N.D.
77	异氰尿酸三缩水甘油酯 TGIC 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	219-514-3	0.01	未检出 N.D.
78	1,3,5-三-[(2S 和 2R) -2,3-环氧丙基]-1,3,5 三嗪-2,4,6- (1H,3H,5H) 三酮 ⁽⁴⁾ β-TGIC 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC) ⁽⁴⁾	59653-74-6	423-400-0	0.01	未检出 N.D.
79	4'-二 (N,N-二甲氨基) 二苯甲酮 (四乙基米氏酮) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	202-027-5	0.01	未检出 N.D.
80	N,N,N',N'-四甲基-4,4'-二氨基二苯甲烷 (米氏碱) N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.01	未检出 N.D.
81	结晶紫 [4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	548-62-9	208-953-6	0.01	未检出 N.D.
82	碱性蓝 [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5	219-943-6	0.01	未检出 N.D.
83	A,A-二[4- (二甲氨基) 苯基]-4-苯氨基-1-萘甲醇 (溶剂蓝 4) α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)	6786-83-0	229-851-8	0.01	未检出 N.D.

本页以下空白 The page below is blank



测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
84	α,α -二[(二甲氨基)苯基]-4- 甲氨基苯甲醇 4,4'-bis(dimethylamino)-4''-(methyl amino)trityl alcohol	561-41-1	209-218-2	0.01	未检出 N.D.
85	十溴联苯醚 Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.005	未检出 N.D.
86	全氟十三酸 Pentacosfluorotridecanoic acid	72629-94-8	276-745-2	0.005	未检出 N.D.
87	全氟十二烷酸 Tricosfluorododecanoic acid	307-55-1	206-203-2	0.005	未检出 N.D.
88	全氟十一烷酸 Henicosfluoroundecanoic acid	2058-94-8	218-165-4	0.005	未检出 N.D.
89	全氟代十四酸 Heptacosfluorotetradecanoic acid	376-06-7	206-803-4	0.005	未检出 N.D.
90	对特辛基苯酚, 乙氧基-包括界定明 确的物质以及 UVCB 物质、聚合物 和同系物 ⁽²⁾ 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated ⁽²⁾	—	—	0.01	未检出 N.D.
91	分支或线性的壬基酚, 含有线性或 分支、共价绑定苯酚的 9 个碳烷基 链的物质, 包括 UVCB 物质以及任 何含有独立或组合的界定明确的同 分异构体的物质 ⁽²⁾ 4-Nonylphenol, branched and linear ⁽²⁾	—	—	0.01	未检出 N.D.
92	偶氮二甲酰胺 Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.005	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 31 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
93	六氢邻苯二甲酸酐 Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7, 13149-00-3, 14166-21-3	201-604-9, 236-086-3, 238-009-9	0.01	未检出 N.D.
94	甲基六氢苯酐、4-甲基六氢苯酐、甲基六氢化邻苯二甲酸酐、3-甲基六氢苯二甲酯酐 Hexahydromethylphthalic anhydride、 Hexahydro-4-methylphthalic anhydride、 Hexahydro-1-methylphthalic anhydride、 Hexahydro-3-methylphthalic anhydride	25550-51-0、 19438-60-9、 48122-14-1、 57110-29-9	247-094-1、 243-072-0、 256-356-4、 260-566-1	0.01	未检出 N.D.
95	甲氧基乙酸 Methoxy acetic acid	625-45-6	210-894-6	0.01	未检出 N.D.
96	支链和直链 1,2-苯二羧二戊酯 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.01	未检出 N.D.
97	邻苯二甲酸二异戊酯 Diisopentylphthalate	605-50-5	210-088-4	0.003	未检出 N.D.
98	邻苯二甲酸正戊基异戊基酯 N-pentyl-isopentylphthalate	776297-69-9	—	0.003	未检出 N.D.
99	乙二醇二乙醚 1,2-Diethoxyethane	629-14-1	211-076-1	0.01	未检出 N.D.
100	N,N-二甲基甲酰胺 N,N-dimethylformamide	68-12-2	200-679-5	0.005	未检出 N.D.
101	二丁基氯化锡 Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.01	未检出 N.D.
102	碱式乙酸铅 ⁽¹⁾ Acetic acid, lead salt, basic ⁽¹⁾	51404-69-4	257-175-3	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 32 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
103	碱式碳酸铅 ⁽¹⁾ trilead bis(carbonate)dihydroxide ⁽¹⁾	1319-46-6	215-290-6	0.01	未检出 N.D.
104	碱式硫酸铅 ⁽¹⁾ lead oxide sulphate ⁽¹⁾	12036-76-9	234-853-7	0.01	未检出 N.D.
105	二盐基邻苯二甲酸铅 ⁽¹⁾ [Phthalato(2-)]dioxotrilead ⁽¹⁾	69011-06-9	273-688-5	0.01	未检出 N.D.
106	双(十八酸基)二氧化三铅 ⁽¹⁾ Dioxobis(stearato)trilead ⁽¹⁾	12578-12-0	235-702-8	0.01	未检出 N.D.
107	C16-18-脂肪酸铅盐 ⁽¹⁾ Fatty acids, C16-18, lead salts ⁽¹⁾	91031-62-8	292-966-7	0.01	未检出 N.D.
108	氟硼酸铅 ⁽¹⁾ Lead bis(tetrafluoroborate) ⁽¹⁾	13814-96-5	237-486-0	0.01	未检出 N.D.
109	氨基氰铅盐 ⁽¹⁾ Lead cyanamate ⁽¹⁾	20837-86-9	244-073-9	0.01	未检出 N.D.
110	硝酸铅 ⁽¹⁾ Lead dinitrate ⁽¹⁾	10099-74-8	233-245-9	0.01	未检出 N.D.
111	氧化铅 ⁽¹⁾ Lead monoxide (lead oxide) ⁽¹⁾	1317-36-8	215-267-0	0.01	未检出 N.D.
112	四氧化三铅 ⁽¹⁾ Orange lead (lead tetroxide) ⁽¹⁾	1314-41-6	215-235-6	0.01	未检出 N.D.
113	钛酸铅 ⁽¹⁾ Lead titanium trioxide ⁽¹⁾	12060-00-3	235-038-9	0.01	未检出 N.D.
114	钛酸铅锆 ⁽¹⁾ Lead Titanium Zirconium Oxide ⁽¹⁾	12626-81-2	235-727-4	0.01	未检出 N.D.
115	氧化铅与硫酸铅的复合物 ⁽³⁾ Pentalead tetraoxide sulphate ⁽³⁾	12065-90-6	235-067-7	0.01	未检出 N.D.
116	颜料黄 41 ⁽³⁾ Pyrochlore, antimony lead yellow ⁽³⁾	8012-00-8	232-382-1	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 33 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
117	铅掺杂的硅钡酸盐 ⁽³⁾ Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped ⁽³⁾	68784-75-8	272-271-5	0.01	未检出 N.D.
118	硅酸铅 ⁽¹⁾ Silicic acid, lead salt ⁽¹⁾	11120-22-2	234-363-3	0.01	未检出 N.D.
119	亚硫酸铅(II) ⁽¹⁾ Sulfurous acid, lead salt, dibasic ⁽¹⁾	62229-08-7	263-467-1	0.01	未检出 N.D.
120	四乙基铅 ⁽¹⁾ Tetraethyllead ⁽¹⁾	78-00-2	201-075-4	0.01	未检出 N.D.
121	三碱式硫酸铅 ⁽¹⁾ Tetralead trioxide sulphate ⁽¹⁾	12202-17-4	235-380-9	0.01	未检出 N.D.
122	磷酸氧化铅 ⁽¹⁾ Trilead dioxide phosphonate ⁽¹⁾	12141-20-7	235-252-2	0.01	未检出 N.D.
123	呋喃 Furan	110-00-9	203-727-3	0.01	未检出 N.D.
124	环氧丙烷 Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.01	未检出 N.D.
125	硫酸二乙酯 Diethyl sulphate	64-67-5	200-589-6	0.01	未检出 N.D.
126	硫酸二甲酯 Dimethyl sulphate	77-78-1	201-058-1	0.01	未检出 N.D.
127	3-乙基-2-甲基-2-(3-甲基丁基)-1,3-噁唑烷 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.01	未检出 N.D.
128	地乐酚 Dinoseb(6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.01	未检出 N.D.
129	4,4'-二氨基-3,3'-二甲基二苯甲烷 4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.005	未检出 N.D.
130	4,4'-二氨基二苯醚 4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.005	未检出 N.D.
131	4-氨基偶氮苯 4-Aminoazobenzene	60-09-3	200-453-6	0.005	未检出 N.D.

本页以下空白 The page below is blank



测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
132	2,4-二氨基甲苯 4-methyl-m-phenylenediamine (2,4-toluene-diamine)	95-80-7	202-453-1	0.005	未检出 N.D.
133	2-甲氧基-5-甲基苯胺 6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.005	未检出 N.D.
134	4-氨基联苯 Biphenyl-4-ylamine	92-67-1	202-177-1	0.005	未检出 N.D.
135	邻氨基偶氮甲苯 o-aminoazotoluene	97-56-3	202-591-2	0.005	未检出 N.D.
136	邻甲基苯胺 o-Toluidine	95-53-4	202-429-0	0.005	未检出 N.D.
137	N-甲基乙酰胺 N-methylacetamide	79-16-3	201-182-6	0.01	未检出 N.D.
138	溴代正丙烷 1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.01	未检出 N.D.
139	镉 Cadmium	7440-43-9	231-152-8	0.005	未检出 N.D.
140	氧化镉 ⁽¹⁾ Cadmium oxide ⁽¹⁾	1306-19-0	215-146-2	0.005	未检出 N.D.
141	邻苯二甲酸二正戊酯 Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.003	未检出 N.D.
142	壬基酚聚氧乙烯醚(支链和直链的)支链和直链的乙氧基壬基酚, 包括含有 9 个碳烷基链的所有独立的同分异构体和所有含有支链和直链的 9 个碳烷基链的 UVCB 物质 ⁽²⁾ 4-Nonylphenol, branched and linear, ethoxylated ⁽²⁾	—	—	0.01	未检出 N.D.
143	全氟辛酸铵 Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.005	未检出 N.D.
144	全氟辛酸 Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.005	未检出 N.D.
145	硫化镉 ⁽¹⁾ Cadmium sulphide ⁽¹⁾	1306-23-6	215-147-8	0.005	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 35 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
146	C.I.直接黑 38 Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.01	未检出 N.D.
147	邻苯二甲酸二己酯 Dihexyl phthalate	84-75-3	201-559-5	0.003	未检出 N.D.
148	2-巯基咪唑啉; 2-咪唑啉硫酮; 亚乙基硫脒 Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	202-506-9	0.01	未检出 N.D.
149	磷酸三(二甲苯)酯 Trixylyl phosphate	25155-23-1	246-677-8	0.05	未检出 N.D.
150	刚果红 (C.I.直接红 28) Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	0.01	未检出 N.D.
151	醋酸铅 (II) ⁽¹⁾ Lead di(acetate) ⁽¹⁾	301-04-2	206-104-4	0.01	未检出 N.D.
152	邻苯二甲酸二己酯(支链和直链) 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.003	未检出 N.D.
153	过硼酸钠,过硼酸钠盐 ⁽¹⁾ Sodium perborate;perboric acid, sodium salt ⁽¹⁾	—	239-172-9 234-390-0	0.01	未检出 N.D.
154	过硼酸钠 ⁽¹⁾ Sodium peroxometaborate ⁽¹⁾	7632-04-4	231-556-4	0.01	未检出 N.D.
155	氯化镉 ⁽¹⁾ Cadmium chloride ⁽¹⁾	10108-64-2	233-296-7	0.01	未检出 N.D.
156	2-(2'-羟基-3',5'-二叔丁基苯基)-苯并三唑 (UV-320) 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	223-346-6	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 36 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
157	2-(2H-苯并三氮唑-2-基)-4,6-二叔戊基苯酚 (UV-328) 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.01	未检出 N.D.
158	二正辛基-双(巯乙酸 2-乙基己酯)锡 (DOTE) (²) 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-s tannatetradecanoate (DOTE) (²)	15571-58-1	239-622-4	0.05	未检出 N.D.
159	二正辛基-双(巯乙酸 2-乙基己酯) (DOTE) 和三(2-乙基己基巯基乙酸酯)辛锡 (MOTE) 反应物 (²)(³) reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-s tannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]th io]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannate tridecanoate (reaction mass of DOTE and MOTE) (²)(³)	---	---	0.05	未检出 N.D.
160	氟化镉(¹) Cadmium fluoride(¹)	7790-79-6	232-222-0	0.01	未检出 N.D.
161	硫酸镉(¹) Cadmium sulphate(¹)	10124-36-4 31119-53-6	233-331-6	0.01	未检出 N.D.
162	1,2-邻苯二甲酸二(C6-C10) 烷基酯; 1,2-邻苯 二甲酸(癸基, 己基, 辛基) 酯的复合物, 且邻苯 二甲酸二己酯含量≥0.3%(²) 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with≥0.3% of dihexyl phthalate (EC No. 201-559-5) (²)	68515-51-5 68648-93-1	271-094-0 272-013-1	0.01	未检出 N.D.

本页以下空白 The page below is blank



测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
163	5-仲丁基-2-(2,4-二甲基环己-3-烯-1-基)-5-甲基-1,3-二恶烷[1]和 5-仲丁基-2-(4,6-二甲基环己-3-烯-1-基)-5-甲基-1,3-二恶烷[2] (卡拉花醛同分异构体) ⁽²⁾ 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] ⁽²⁾	—	—	0.01	未检出 N.D.
164	1,3-丙烷磺内酯 1,3-propanesultone	1120-71-4	214-317-9	0.01	未检出 N.D.
165	2-(2'-羟基-3',5'-二叔丁基苯基)-5-氯代苯并三唑 (UV327) 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol(UV-327)	3864-99-1	223-383-8	0.01	未检出 N.D.
166	2-(2'-羟基-3'-异丁基-5'-叔丁基苯基)苯并三唑 (UV350) 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol(UV-350)	36437-37-3	253-037-1	0.01	未检出 N.D.
167	硝基苯 Nitrobenzene	98-95-3	202-716-0	0.01	未检出 N.D.
168	全氟壬酸及其钠盐和铵盐 ⁽²⁾ Perfluorononan-1-oic-acid and its sodium and ammonium salts ⁽²⁾	375-95-1 21049-39-8 4149-60-4	206-801-3	0.005	未检出 N.D.
169	苯并(a)芘 Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	200-028-5	0.050	未检出 N.D.
170	4-庚基苯酚, 支链和直链 ⁽³⁾ 4-Heptylphenol, branched and linear ⁽³⁾	1987-50-4 直链	217-862-0 直链	0.004	未检出 N.D.
171	全氟癸酸, 全氟癸酸钠和全氟癸酸铵 ⁽³⁾ Nonadecafluorodecanoic acid and its sodium and ammonium salts ⁽³⁾	335-76-2 3830-45-3 3108-42-7	206-400-3 — 221-470-5	0.005	未检出 N.D.
172	对叔戊基苯酚p-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.004	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 38 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
173	4,4'-异亚丙基双(双酚 A) 4,4'-isopropylidenediphenol (bisphenol A; BPA)	80-05-7	201-245-8	0.004	未检出 N.D.
174	全氟己基磺酸类 Perfluorohexane-1-sulphonic acid and its salts	355-46-4	206-587-1	0.005	未检出 N.D.
175	德克隆[包括所有反式和顺式异构体及其组合] Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	13560-89-9 135821-74-8 135821-03-3	236-948-9 — —	0.0004	未检出 N.D.
176	苯并[a]蒽 Benz[a]anthracene	56-55-3	200-280-6	0.05	未检出 N.D.
177	蒽 Chrysene	218-01-9	205-923-4	0.05	未检出 N.D.
178	硝酸镉 ⁽¹⁾ Cadmium nitrate ⁽¹⁾	10325-94-7	233-710-6	0.01	未检出 N.D.
179	碳酸镉 ⁽¹⁾ Cadmium carbonate ⁽¹⁾	513-78-0	208-168-9	0.01	未检出 N.D.
180	氢氧化镉 ⁽¹⁾ Cadmium hydroxide ⁽¹⁾	21041-95-2	244-168-5	0.01	未检出 N.D.
181	1,3,4-噻二唑烷-2,5-二硫酮, 甲醛和 4-庚基苯酚的支链和直链 (RP-HP) 的反应产物[4-庚基苯酚, 支链和直链含量≥0.1% w / w] Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear] ⁽²⁾	—	—	0.04	未检出 N.D.
182	苯并(g,h,i)芘 Benzo[ghi]perylene	191-24-2	205-883-8	0.050	未检出 N.D.
183	十甲基环五硅氧烷(D5) Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.00001	未检出 N.D.
184	氧化硼钠 ⁽¹⁾ Disodium octaborate ⁽¹⁾	12008-41-2	234-541-0	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 39 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
185	十二甲基环六硅氧烷(D6) Dodecamethylcyclhexasiloxane (D6)	540-97-6	208-762-8	0.00001	未检出 N.D.
186	乙二胺 Ethylenediamine	107-15-3	203-468-6	0.015	未检出 N.D.
187	铅 Lead	7439-92-1	231-100-4	0.01	未检出 N.D.
188	八甲基环四硅氧烷(D4) Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	0.00001	未检出 N.D.
189	氢化三联苯 Terphenyl hydrogenated	61788-32-7	262-967-7	0.001	未检出 N.D.
190	苯-1,2,4-三羧酸 1,2-酐 (偏苯三酸酐) (TMA) Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride) (TMA)	552-30-7	209-008-0	0.01	未检出 N.D.
191	邻苯二甲酸二环己酯 Dicyclohexyl phthalate(DCHP)	84-61-7	201-545-9	0.003	未检出 N.D.
192	4,4'-(1,3-二甲基丁基)二苯酚 2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.004	未检出 N.D.
193	苯并(k)荧蒹 Benzo[k]fluoranthene	207-08-9	205-916-6	0.05	未检出 N.D.
194	荧蒹 Fluoranthene	206-44-0	205-912-4	0.05	未检出 N.D.
195	菲 Phenanthrene	85-01-8	201-581-5	0.05	未检出 N.D.
196	芘 Pyrene	129-00-0	204-927-3	0.05	未检出 N.D.
197	1,7,7-三甲基-3-(苯基亚甲基)双环 [2.2.1]庚-2-酮或3-亚苄基樟脑 3-benzylidene camphor	15087-24-8	239-139-9	0.0015	未检出 N.D.

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 40 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
198	2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其盐和酰基卤化物(包含其同分异构体和混合物) ⁽²⁾ 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)(HFPO-DA) ⁽²⁾	—	—	0.0050	未检出 N.D.
199	2-甲氧基乙酸乙酯 2-methoxyethyl acetate	110-49-6	203-772-9	0.00008	未检出 N.D.
200	(4-壬基苯基)亚磷酸酯(≥0.1%4-壬基苯基, 直连和支链) ⁽²⁾ Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)(TNPP) ⁽²⁾	—	—	0.0050	未检出 N.D.
201	4-叔丁基苯酚 4-tert-butylphenol	98-54-4	202-679-0	0.012	未检出 N.D.
202	2-苄基-2-二甲基氨基-1-(4-吗啉苯基) 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.00075	未检出 N.D.
203	2-甲基-1-(4-甲硫基苯)-2-吗啉基-1-丙酮 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.00075	未检出 N.D.
204	邻苯二甲酸二异己酯 Diisohexyl phthalate	71850-09-4	276-090-2	0.003	未检出 N.D.
205	全氟丁烷磺酸(PFBS)及其盐 Perfluorobutane sulfonic acid (PFBS) and its salts	—	—	0.005	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 41 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
206	1-乙烯基咪唑 1-vinylimidazole	1072-63-5	214-012-0	0.004	未检出 N.D.
207	2-甲基咪唑 2-methylimidazole	693-98-1	211-765-7	0.004	未检出 N.D.
208	4-羟基苯甲酸丁酯 Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.003	未检出 N.D.
209	二正丁基双(乙酰丙酮基)锡 Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	245-152-0	0.01	未检出 N.D.
210	四乙二醇二甲醚 Bis(2-(2-methoxyethoxy)ethyl)ether; (Tetraglyme)	143-24-8	205-594-7	0.01	未检出 N.D.
211	二月桂酸二辛基锡, 锡烷, 二辛基-, 双(椰油酰氧基)衍生物, 以及任何其他锡烷, 二辛基-, 双(脂肪酰氧基)衍生物。其中 C12 为脂肪酰氧基部分的主要碳原子数 ⁽¹⁾ Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety ⁽¹⁾	—	—	0.01	未检出 N.D.
	锡烷, 二辛基-, 双(椰油酰氧基)衍生物 ⁽¹⁾ Stannane, dioctyl-, bis(coco acyloxy) derivs ⁽¹⁾ (CAS No.: 91648-39-4 EC No.: 293-901-5)				
	二月桂酸二辛基锡 ⁽¹⁾ Diocetyl tin dilaurate ⁽¹⁾ (CAS No.: 3648-18-8 EC No.: 222-883-3)				

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 42 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
212	1,4-二噁烷 1,4-dioxane	123-91-1	204-661-8	0.01	未检出 N.D.
213	2,2-双(溴甲基)-1,3-丙二醇 (BMP) 2,2-bis(bromomethyl) propane 1,3-diol (BMP)	3296-90-0	221-967-7	0.005	未检出 N.D.
	三溴新戊醇/3-溴-2,2-二溴乙基丙醇 (TBNPA) 2,2-dimethylpropan-1-ol, tribromoderivative/3-bromo-2,2-bis(bromomet hyl)-1-propanol (TBNPA)	36483-57-5/ 1522-92-5	253-057-0	0.005	未检出 N.D.
	2,3-二溴丙醇 (2,3-DBPA) 2,3-dibromo-1-propanol (2,3-DBPA)	96-13-9	202-480-9	0.005	未检出 N.D.
214	2-(4-叔丁基苄基)丙醛及其立体异构体 ⁽²⁾ 2-(4-tert-butylbenzyl) propionaldehyde and its individual stereoisomers ⁽²⁾	—	—	0.005	未检出 N.D.
215	4,4'-(1-甲基亚丙基)双酚;(双酚 B) 4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.005	未检出 N.D.
216	戊二醛 Glutaral	111-30-8	203-856-5	0.001	未检出 N.D.
217	中链氯化石蜡 (MCCP) (UVCB 物质, 由 ≥80% 的直链氯化烷烃组成, 碳链长度在 C ₁₄ 到 C ₁₇ 之间) ⁽²⁾ Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C ₁₄ to C ₁₇] ⁽²⁾	—	—	0.01	未检出 N.D.
218	硼酸钠, 钠盐 ⁽¹⁾ Orthoboric acid, sodium salt ⁽¹⁾	13840-56-7	237-560-2	0.01	未检出 N.D.
219	碳链(C ₁₂ 为主, 直链或支链)主要在对位的烷基 酚物质及其任何单个异构体或组合 (PDDP) ⁽²⁾ Phenol, alkylation products (mainly in para position) with C ₁₂ -rich branched or linear alkyl chains from oligomerisation, covering any individual ⁽²⁾	—	—	0.003	未检出 N.D.

本页以下空白 The page below is blank



扫二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 43 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
220	(±)-1,7,7-三甲基-3-[(4-甲基苯基)亚甲基]双环[2.2.1]庚-2-酮, 包括任何单独的异构体和/或其组合(4-MBC) (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	—	—	0.01	未检出 N.D.
221	2,2'-亚甲基双-(4-甲基-6-叔丁基苯酚)(DBMC) 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.01	未检出 N.D.
222	S-(三环[5.2.1.0 ^{2,6}]癸-3-烯-8(或 9)-基)O-(异丙基或异丁基或 2-乙基己基)O-(异丙基或异丁基或 2-乙基己基)二硫代磷酸酯 ⁽¹⁾ S-(tricyclo(5.2.1.0 ^{2,6})deca-3-en-8(or 9)-yl)O-(isopropyl or isobutyl or 2-ethylhexyl)O-(isopropyl or isobutyl or 2-ethylhexyl)phosphorodithioate ⁽¹⁾	255881-94-8	401-850-9	0.05	未检出 N.D.
223	乙烯基-三(2-甲氧基乙氧基)硅烷 Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01	未检出 N.D.
224	N-羟甲基丙烯酰胺 N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.005	未检出 N.D.
225	1,1'-[乙烷-1,2-二(2,4,6-三溴苯氧基)乙烷 benzene]	37853-59-1	253-692-3	0.005	未检出 N.D.
226	四溴双酚 A 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	201-236-9	0.005	未检出 N.D.
227	双酚 S 4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.005	未检出 N.D.
228	偏硼酸钡 ⁽³⁾ Barium diboron tetraoxide ⁽³⁾	13701-59-2	237-222-4	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 44 of 52

测试结果 Test result (单位 Unit: %)

序号 No.	测试项目 SVHC	CAS 号 CAS number	EC 号 EC number	检出限 DL	测试结果 Test Result
229	3,4,5,6-四溴-1,2-苯二羧酸双(2-乙基己基)酯, 包括包括任何单独的异构体和/或其组合 Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	—	—	0.005	未检出 N.D.
230	4-羟基苯甲酸 2-甲基丙酯 Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.005	未检出 N.D.
231	三聚氰胺 Melamine	108-78-1	203-615-4	0.005	未检出 N.D.
232	全氟庚酸及其盐 Perfluoroheptanoic acid and its salts	—	—	0.01	未检出 N.D.
233	2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙 烷-2-基)吗啉和 2,2,3,3,5,5,6,6-八氟烷-4-(七 氟丙基)吗啉的反应物料 ⁽¹⁾ reaction mass of 2,2,3,3,5,5, 6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropro pan-2-yl)morpholine and 2,2,3,3,5,5,6,6- octafluoro-4-(heptafluoropropyl)morpholine ⁽¹⁾	—	473-390-7	0.01	未检出 N.D.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 45 of 52

注释 Note: DL =检出限 Detection Limit

N.D.=未检出(小于检出限) N.D. = Not Detected (<DL)

0.1% = 1000 mg/kg = 1000 ppm mg/kg = ppm

- (1) 二氯化钴浓度值是由钴(Co)和氯(Cl)测试结果换算而来。硫酸钴、硝酸钴、碳酸钴、醋酸钴浓度值是由钴(Co)和酸测试结果换算而来。三乙基砷酸酯、五氧化二砷、三氧化二砷、重铬酸钠、砷酸氢铅、三氧化铬、三氧化二铬及其低聚物产生的酸(铬酸、二铬酸、铬酸及二铬酸的低聚物)、铬酸锶、硼酸、无水四硼酸钠、水合四硼酸钠、铬酸钠、铬酸钾、重铬酸钾、重铬酸铵、铬酸铬、氢氧化铬酸锌钾、砷酸、砷酸钙、砷酸铅、叠氮化铅、2,4,6-三硝基苯二酚铅、苦味酸铅、三氧化二硼、甲基磺酸铅、碱式乙酸铅、碱式碳酸铅、碱式硫酸铅、氟硼酸铅、氨基氰铅盐、硝酸铅、氧化铅、四氧化三铅、钛酸铅、钛酸铅铅、硅酸铅、亚硫酸铅(II)、三碱式硫酸铅、磷酸氧化铅、四乙基铅、二盐基邻苯二甲酸铅、双(十八烷基)二氧代三铅、C16-18-脂肪酸铅盐、氧化镉、硫化镉、醋酸铅(II)、过硼酸钠、过硼酸钠盐、过硼酸钠、氯化镉、氟化镉、硫酸镉、硝酸镉、碳酸镉、氢氧化镉、氧化硼钠、二月桂酸二辛基锡、锡烷、二辛基-, 双(椰油酰氧基)衍生物, 以及任何其他锡烷, 二辛基-, 双(脂肪酰氧基)衍生物。其中C12为脂肪酰氧基部分的主要碳原子数/锡烷, 二辛基-, 双(椰油酰氧基)衍生物/二月桂酸二辛基锡、硼酸钠, 钠盐、S-(三环[5.2.1.0^{2,6}]癸-3-烯-8(或9)-基)O-(异丙基或异丁基或2-乙基己基)O-(异丙基或异丁基或2-乙基己基)二硫代磷酸酯的浓度值是由物质中的无机元素测试结果换算而来。2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)吗啉和2,2,3,3,5,5,6,6-八氟烷-4-(七氟丙基)吗啉的反应物料浓度值是由氟的测试结果换算而来。
 - (2) 由于这些物质是 UVCB 物质(未知成分或可变成成分的, 复杂反应物或生物材料的物质), 由各种不同的成分组成, 所以这些物质的测试结果是由选定的具有代表性的物质的主要组成成分的测试结果换算而来的。
 - (3) 由于此物质含有多种物质, 测试结果是基于此物质中最具有代表性的主要组成化合物的含量, 其主要造成化合物的测试结果是基于特定的重金属元素的浓度换算而来。
 - (4) 由于TGIC本身含有β-TGIC, 依照ECHA 技术文件β-TGIC与TGIC 约为1:10 比例, 因此β-TGIC将以1/10 的TGIC计算浓度。
- (1): PBT=Persistent, bioaccumulative and toxic; vPvB=very Persistent very Bioaccumulative
Concentration value of Cobalt dichloride is by the conversion from the test results of Cobalt and Chlorine. Concentration value of Cobalt(II) sulphate, Cobalt(II) dinitrate, Cobalt(II) carbonate, Cobalt(II) diacetate are by the conversion from the test results of Cobalt and Acid. Concentration value of Triethyl arsenate, Diarsenic pentaoxide, Diarsenic trioxide, Sodium dichromate, Lead hydrogen arsenate, Chromium trioxide, Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers (Chromic acid/ Dichromic acid/ Oligomers of chromic acid and dichromic acid), Strontium chromate, Boric acid, Disodium Tetraborate. Anhydrous, Tetraboron disodium heptaoxide, hydrate, Sodium chromate, Potassium chromate, Potassium dichromate, Ammonium dichromate, Dichromium tris(chromate), Potassium hydroxyoctaoxidizincatedichromate, Arsenic acid, Calcium arsenate, Trilead diarsenate, Lead diazide, Lead azide, Lead styphnate, Lead dipicrate, Diboron trioxide, Lead(II) bis(methanesulfonate), Acetic acid, lead salt, basic, Trilead bis(carbonate)dihydroxide, Lead oxide sulphate, Lead bis(tetrafluoroborate), Lead cyanamide, Lead dinitrate, Lead monoxide (lead oxide), Orange lead (lead tetroxide), Lead titanium trioxide, Lead titanium zirconium oxide, Pentalead tetraoxide sulphate, Pyrochlore, antimony lead yellow, Sulfurous acid, lead salt, Silicic acid, lead salt, Sulfurous acid, lead salt, dibasic, Tetralead trioxide sulphate, Trilead dioxide phosphonate, Tetraethyllead, [Phthalato(2-)]dioxotrilead, Dioxobis(stearato)trilead, Fatty acids, C16-18, lead salts, Cadmium oxide, Cadmium sulphide, Lead di(acetate), Sodium perborate; perboric acid, sodium salt, Sodium peroxometaborate, Cadmium chloride, Cadmium fluoride and Cadmium sulphate, Cadmium nitrate, Cadmium carbonate, Cadmium hydroxide, Disodium octaborate, Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety/Stannane, dioctyl-, bis(coco acyloxy) derivs/Dioctyltin dilaurate, Orthoboric acid, sodium salt, S-(tricyclo(5.2.1.0^{2,6})deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate are by the conversion from the test results of corresponding Inorganic elements. reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine are by the conversion from the test results of fluorine.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 46 of 52

- (2): In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
- (3): when tested substances contain variable compounds, the test results are calculated based on main constituents of the representative compounds for the substances. The test results of the representative compounds are calculated based on the result of specified heavy metal elements.
- (4): TGIC is a mixture and also contains β -TGIC. According to the ECHA's technical dossier the ratio of β -TGIC to TGIC is around 1 to 10. Therefore β -TGIC is issued based on the above-mentioned ratio.

备注 Remarks:

1. 本报告所涉及的关于 233 种高关注物质的化学分析是基于根据欧洲化学品管理署 (ECHA) 2008 年 10 月 28 日、2010 年 1 月 13 日、2010 年 3 月 30 日、2010 年 6 月 18 日、2010 年 12 月 15 日、2011 年 6 月 20 日、2011 年 12 月 19 日、2012 年 6 月 18 日、2012 年 12 月 19 日、2013 年 6 月 20 日、2013 年 12 月 16 日、2014 年 6 月 16 日、2014 年 12 月 17 日、2015 年 6 月 15 日、2015 年 12 月 17 日、2016 年 6 月 20 日、2017 年 1 月 12 日、2017 年 7 月 7 日、2018 年 1 月 15 日、2018 年 6 月 27 日、2019 年 1 月 15 日、2019 年 7 月 16 日、2020 年 1 月 16 日、2020 年 6 月 25 日、2021 年 1 月 19 日、2021 年 7 月 8 日、2022 年 1 月 17 日、2022 年 6 月 10 日及 2022 年 9 月 2 日公告的高关注物质列入候选清单的建议, 利用现有的分析技术所完成的。

具体参考: <http://echa.europa.eu/web/guest/candidate-list-table>

<https://echa.europa.eu/substances-of-very-high-concern-identification>

2. 根据欧盟第 1907/2006(EC)号法规, 如果满足以下两件条件, 如果物质符合第 57 条中的标准并根据第 59 条第一款被确定, 物品的任何制造商或进口商应根据第 7 条第 4 款向欧盟化学品管理署进行通报: (a) 物质在物品中的总含量超过 1 吨/年/生产商或进口商; (b) 物质在物品中的总含量以质量分数计超过 0.1% 的浓度。
3. 欧盟第 1907/2006(EC)号法规第 33 条规定, 含有满足第 57 条中的标准并根据第 59 条第一款被确定且质量分数大于 0.1% 的物质的物品的所有供应商应向物品接受者提供其可获取的充足信息, 以使物品使用安全, 这些信息至少包括物质的名称。

1. The chemical analysis of 233 SVHC is performed by means of currently available analytical Techniques in the list published by ECHA on 28 Oct 2008, 13 Jan 2010, 30 Mar 2010, 18 Jun 2010, 15 Dec 2010, 20 June 2011, 19 Dec 2011, 18 Jun 2012, 19 Dec 2012, 20 Jun 2013, 16 Dec 2013, 16 Jun 2014, 17 Dec 2014, 15 Jun 2015, 17 Dec 2015, 20 Jun 2016, 12 Jan 2017, 7 Jul 2017, 15 Jan 2018, 27 Jun 2018, 15 Jan 2019, 16 Jul 2019, 16 Jan 2020, 25 Jun 2020, 19 Jan 2021, 08 Jul 2021, 17 Jan 2022, 10 Jun 2022 and 02 Sept 2022 shall refer to:

<http://echa.europa.eu/web/guest/candidate-list-table>

<https://echa.europa.eu/substances-of-very-high-concern-identification>

2. In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).
3. Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the Name of that substance.

本页以下空白 The page below is blank



扫描二维码
关注谱尼测试



Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 47 of 52

(2) 间苯二酚 Resorcinol

测试结果 Test Results (Unit: %)

测试项目 Test Item	CAS 号 CAS number	方法检出限 MDL	测试结果 Test Result
间苯二酚 Resorcinol	108-46-3	0.001	未检出 (N.D.)

备注 Note: (1) 0.1% = 1000 mg/kg = 1000 ppm mg/kg = ppm

(2) N.D. = 未检出 Not Detected (<MDL)

(3) MDL = 方法检出限 Method Detection Limit

样品编号和照片 Sample No. & Photo:

G2174027D5



仅对报告照片中的样品负责

Pony authenticate the photo on original report only

本页以下空白 The page below is blank

Hotline 400-819-5688

www.ponytest.com

PONY-BGLS186-03C-003-2021A

谱尼测试集团深圳有限公司

公司地址: 深圳市宝安区福海街道桥头社区永和路鑫豪盛工业园 1 栋、2 栋 3 层

检测地址: 深圳市宝安区福海街道桥头社区永和路鑫豪盛工业园 1 栋、2 栋 3 层

电话: 0755-26050909

传真: 0755-26068336



扫二维码
关注谱尼测试




Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 48 of 52

测试流程图 Measurement Flow-chart

测试人员 Tested by: 岑慧玲
审核人 Checked by: 杨新
实验室负责人 Person in charge of the lab: 毛祖青

1. 筛选二氯化钴 Determination of Cobalt dichloride/五氧化二砷 Diarsenic pentaoxide/三氧化二砷 Diarsenic trioxide/重铬酸钠 Sodium dichromate/砷酸氢铅 Lead hydrogen Arsenate/三乙基砷酸酯 Triethyl arsenate/铬酸铅(铬黄)Lead chromate/钼铬红(C.I.颜料红 104) Lead chromate molybdate sulphate red (C.I. Pigment Red 104)/铅铬黄 (C.I.颜料黄 34) Lead sulfochromate yellow(C.I. Pigment Yellow 34) /硼酸 Boric acid/无水四硼酸钠 Disodium tetraborate, anhydrous/水合四硼酸钠 Tetraboron disodiumheptaoxide, hydrate/铬酸钠 Sodium chromate/铬酸钾 Potassium chromate/重铬酸铵 Ammonium dichromate/重铬酸钾 Potassium dichromate/硫酸钴 Cobalt(II) sulphate/硝酸钴 Cobalt(II) dinitrate/碳酸钴 Cobalt(II) carbonate/醋酸钴 Cobalt(II) diacetate/三氧化铬 Chromium trioxide/三氧化二铬及其低聚物产生的酸(铬酸, 二铬酸, 铬酸及二铬酸的低聚物) Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers (Chromic acid/ Dichromic acid/ Oligomers of chromic acid and dichromic acid)/铬酸锶 strontium chromate/联胺, 也称胼 Hydrazine /铬酸铬 Dichromium tris(chromate)/氢氧化铬酸锌钾 Potassium hydroxyoctaoxidizincatedichromate/锌黄(C.I.颜料黄 36) Pentazinc chromate octahydroxide /硅酸铝耐火陶瓷纤维 Aluminosilicate Refractory Ceramic Fibres (RCF)/氧化锆硅酸铝耐火陶瓷纤维 Zirconia Aluminosilicate Refractory Ceramic Fibres(Zr-RCF)/砷酸 Arsenic acid /砷酸钙 Calcium arsenate /砷酸铅 Trilead diarsenate /叠氮化铅 Lead diazide, Lead azide /2,4,6-三硝基苯二酚铅 Lead styphnate /苦味酸铅 Lead dipicrate/三氧化二硼 Diboron trioxide/甲基磺酸铅 Lead(II) bis(methanesulfonate)/碱式乙酸铅 Acetic acid, lead salt, basic/碱式碳酸铅 Trilead bis(carbonate)dihydroxide/碱式硫酸铅 Lead oxide sulphate /氟硼酸铅 Lead bis(tetrafluoroborate)/氨基氰铅盐 Lead cyanamide/硝酸铅 Lead dinitrate/氧化铅 Lead oxide (lead monoxide)/四氧化三铅 Lead tetraoxide (orange lead)/钛酸铅 Lead titanium trioxide/钛酸铅锆 Lead Titanium Zirconium Oxide/氧化铅与硫酸铅的复合物 Pentalead tetraoxide sulphate/颜料黄 41 Pyrochlore, antimony lead yellow/铅掺杂的硅钨酸盐 Silicic acid, barium salt, lead-doped/硅酸铅 Silicic acid, lead salt/亚硫酸铅(II) Sulfurous acid, lead salt, dibasic/三碱式硫酸铅, Tetralead trioxide sulphate/磷酸氧化铅 Trilead dioxide phosphonate/二盐基邻苯二甲酸铅 [Phthalato(2-)]dioxotrilead/双(十八烷基)二氧化三铅 Dioxobis(stearato)trilead/C16-18-脂肪酸铅盐 Fatty acids, C16-18, lead salts/四乙基铅 Tetraethyllead/镉 Cadmium/氧化镉 Cadmium oxide/硫化镉 Cadmium sulphide/醋酸铅(II) Lead di(acetate) /过硼酸钠, 过硼酸钠盐 Sodium perborate; perboric acid, sodium salt /过硼酸钠 Sodium peroxometaborate/氯化镉 Cadmium chloride/氟化镉 Cadmium fluoride/硫酸镉 Cadmium sulphate/二正辛基-双(巯乙酸 2-乙基己酯)锡 (DOTE) 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(DOTE)/二正辛基-双(巯乙酸 2-乙基己酯) (DOTE) 和三(2-乙基己基巯基乙酸)辛锡 (MOTE) 反应物 reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTe) /硝酸镉 Cadmium nitrate/碳酸镉 Cadmium carbonate/氢氧化镉 Cadmium hydroxide/氧化硼钠 Disodium octaborate/铅 Lead/二月桂酸二辛基锡, 锡烷, 二辛基-, 双(椰油酰氧基)衍生物, 以及任何其他锡烷, 二辛基-, 双(脂肪酰氧基)衍生物。其中 C12 为脂肪酰氧基部分的主要碳原子数/锡烷, 二辛基-, 双(椰油酰氧基)衍生物/二月桂酸二辛基锡 Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety/Stannane, dioctyl-, bis(coco acyloxy) derivs./Diocetyl tin dilaurate/硼酸钠, 钠盐 Orthoboric acid, sodium salt/S-(三环[5.2.1.0^{2,6}]癸-3-烯-8(或 9)-基)O-(异丙基或异丁基或 2-乙基己基)O-(异丙基或异丁基或 2-乙基己基)二硫代磷酸酯 S-(tricyclo[5.2.1.0^{2,6}]deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate/偏硼酸钡 Barium diboron tetraoxide/2,2,3,3,5,5,6,6-八氟-4-(1,1,1,2,3,3,3-七氟丙烷-2-基)吗啉和 2,2,3,3,5,5,6,6-八氟-4-(七氟丙基)吗啉的反应物料 reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine



本页以下空白 The page below is blank



扫描二维码
关注谱尼测试




Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 49 of 52

测试流程图 Measurement Flow-chart

测试人员 Tested by: 朱泽超
审核人 Checked by: 杨新
实验室负责人 Person in charge of the lab: 毛祖青

2.测定蒽 Determination of Anthracene/4,4'-二氨基二苯基甲烷 4,4'- Diaminodiphenylmethane (MDA)/二甲苯麝 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) /六溴环十二烷 Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane/短链氯化石蜡 Alkanes,C10-13, chloro (Short Chain Chlorinated Paraffins)/氧化双三丁基锡 Bis(tributyltin)oxide(TBTO)/邻苯二甲酸丁苄酯 Benzyl butyl phthalate(BBP)/邻苯二甲酸二(2-乙基己基)酯 Bis (2-ethylhexyl)phthalate (DEHP)/邻苯二甲酸二丁酯 Dibutyl phthalate (DBP)/2,4-二硝基甲苯 2,4-Dinitrotoluene/葱油 Anthracene oil/葱油,葱湖,轻油 Anthracene oil, anthracene paste, distrn. Lights/葱油, 葱湖,葱馏分 Anthracene oil, anthracene paste, anthracene fraction/葱油,含葱量少 Anthracene oil, anthracene-low/葱油,葱湖 Anthracene oil, anthracene paste/邻苯二甲酸二异丁酯 Diisobutyl phthalate/丙烯酰胺 Acrylamide/三(2-氯乙基)磷酸酯 Tris(2-chloroethyl) phosphate/煤沥青, 高温 Pitch, coal tar, high temp /三氯乙烯 Trichloroethylene/2-甲氧基乙醇 2-Methoxyethanol/2-乙氧基醇 2-Ethoxyethanol/乙二醇乙醚乙酸酯 2-ethoxyethyl acetate/1,2 苯二酸-二 (C7-11 支链-直链) 烷基(醇)酯 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters /1-甲基-2-吡咯烷酮 1-methyl-2-pyrrolidone/1,2,3-三氯丙烷 1,2,3-trichloropropane/邻苯二甲酸-二(C6-8 支链与直链)烷基酯, 富 C7 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich/邻苯二甲酸二甲氧乙酯 Bis(2-methoxyethyl) phthalate /邻氨基苯甲醚 2-Methoxyaniline,o-Anisidine /对特辛基苯酚 4-(1,1,3,3-tetramethylbutyl)phenol /1,2-二氯乙烷 1,2-Dichloroethane /二乙二醇二甲醚 Bis(2-methoxyethyl)ether/ N,N-二甲基乙酰胺 N,N-dimethylacetamide /酚酞 Phenolphthalein /4,4'-亚甲基双-2-氯苯胺 2,2'-dichloro-4,4'-methylenedianiline/1,2 双(2-甲氧乙氧基)乙烷三乙二醇二甲醚(三甘醇二甲醚) 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)/乙二醇二甲醚 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)/甲酰胺 Formamide /异氰尿酸三缩水甘油酯 TGIC1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)/1,3,5-三-(2S 和 2R)-2,3-环氧丙基]-1,3,5 三嗪-2,4,6-(1H,3H,5H) 三酮 β-TGIC 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)/4'-二(N,N-二甲氨基)二苯甲酮(四乙基米氏酮) 4,4'-bis(dimethylamino)benzophenone(Michler's ketone)/N,N,N'-四甲基-4,4'-二氨基二苯基甲烷(米氏碱) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone)/结晶紫[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)/碱性蓝[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) /A,A-二[4-(二甲氨基)苯基]-4-苯基氨基-1-萘甲醇(溶剂蓝4) α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4)/α,α-二[(二甲氨基)苯基]-4-氨基苯甲醇 4,4'-bis(dimethylamino) -4''-(methylamino)trityl alcohol



本页以下空白 The page below is blank



扫二维码
关注谱尼测试




Pony Testing International Group

测试报告 Test Report 报告编号 NO.: MQCTM53G2174027D5 签发日期(Issued Date): 2022-12-05 Page 50 of 52

测试流程图 Measurement Flow-chart

测试人员 Tested by: 朱泽超
审核人 Checked by: 杨新
实验室负责人 Person in charge of the lab: 毛祖青

3. 测定十溴联苯醚 Determination of Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)/全氟十三酸 Pentacosafuorotridecanoic acid/全氟十二烷酸 Tricosafuorododecanoic acid/全氟十一烷酸 Henicosafuoroundecanoic/全氟代十四酸 Heptacosafuorotetradecanoic acid/对特辛基苯酚, 乙氧基- 包括界定明确的物质以及 UVCB 物质、聚合物和同系物 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated, 分支或线性的壬基酚, 含有线性或分支、共价绑定苯酚的 9 个碳烷基链的物质, 包括 UVCB 物质以及任何含有独立或组合的界定明确的同分异构体的物质 4-Nonylphenol, branched and linear / 偶氮二甲酰胺 Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)), 六氢邻苯二甲酸酐 Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride / 甲基六氢苯酐、4-甲基六氢苯酐、甲基六氢化邻苯二甲酸酐、3-甲基六氢苯二甲酯酐 Hexahydromethylphthalic anhydride、Hexahydro-4-methylphthalic anhydride、Hexahydro-1-methylphthalic anhydride、Hexahydro-3-methylphthalic anhydride / 甲氧基乙酸 Methoxy acetic acid/支链和直链 1, 2-苯二羧二戊酯 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear/ 邻苯二甲酸二异戊酯 Diisopentylphthalate/ 邻苯二甲酸正戊基异戊基酯 N-pentyl-isopentylphthalate/ 乙二醇二乙醚 1,2-Diethoxyethane/N,N-二甲基甲酰胺 N,N-dimethylformamide;dimethyl formamide/二丁基二氯化锡 Dibutyltin dichloride (DBTC)/二盐基邻苯二甲酸铅[Phthalato(2-)]dioxotrilead/双(十八烷基)二氧化三铅 Dioxobis(stearato)trilead/C16-18-脂肪酸铅盐 Fatty acids, C16-18, lead salts/四乙基铅 Tetraethyllead/呋喃 Furan/环氧丙烷 Propylene oxide; 1,2-epoxypropane; methyloxirane/硫酸二乙酯 Diethyl sulphate 硫酸二甲酯 Dimethylsulphate/地乐酚 Dinoseb/4,4'-二氨基-3,3'-二甲基二苯甲烷 4,4'-methylenedi-o-toluidine/4,4'-二氨基二苯醚 4,4'-oxydianiline and its salts/4-氨基偶氮苯 4-Aminoazobenzene; 4-Phenylazobenzene/2,4-二氨基甲苯 4-methyl-m-phenylenediamine (2,4-toluene-diamine)/2-甲氧基-5-甲基苯胺 6-methoxy-m-toluidine (p-cresidine)/4-氨基联苯 Biphenyl-4-ylamine/邻氨基偶氮甲苯 o-aminoazotoluene/邻甲基苯胺 o-Toluidine; 2-Aminotoluene/N-甲基乙酰胺 N-methylacetamide/溴代正丙烷 1-bromopropane/3-乙基-2-甲基-2-(3-甲基丁基)-1,3-噁唑烷 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine, 邻苯二甲酸二正戊酯 Dipentyl phthalate (DPP), 壬基酚聚氧乙烯醚(支链和直链的)支链和直链的乙氧化壬基酚, 包括含有 9 个碳烷基链的所有独立的同分异构体和所有含有支链和直链的 9 个碳烷基链的 UVCB 物质 4-Nonylphenol, branched and linear, ethoxylated/氟辛酸铵 Ammonium pentadecafluorooctanoate (APFO),全氟辛酸 Pentadecafluorooctanoic acid (PFOA)/ C.I.直接黑 38 Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate(C.I. Direct Black 38)/邻苯二甲酸二己酯 Dihexyl phthalate/ 2-巯基咪唑啉; 2-咪唑啉硫酮; 亚乙基硫脲 Imidazolidine-2-thione; (2-imidazoline-2-thiol)/磷酸三(二甲苯)酯 Trixylyl phosphate/刚果红 (C.I.直接红 28) Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)/ 邻苯二甲酸二己酯(支链和直链)1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear/2-(2'-羟基-3',5'-二叔丁基苯基)-苯并三唑 (UV-320) 2-benzotriazol-2-yl-4,6-di-tert-butylphenol(UV-320)



本页以下空白 The page below is blank



扫二维码
关注谱尼测试


测试流程图 Measurement Flow-chart

测试人员 Tested by: 朱泽超

审核人 Checked by: 杨新

实验室负责人 Person in charge of the lab: 毛祖青

4.测定 2-(2H-苯并三唑-2-基)-4,6-二叔戊基苯酚 (UV-328) Determination of 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328),1,2-邻苯二甲酸二(C6-C10) 烷基酯; 1,2-邻苯二甲酸(癸基, 己基, 辛基) 酯的复合物, 且邻苯二甲酸二己酯含量 $\geq 0.3\%$ (2) 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate (EC No. 201-559-5), 5-仲丁基-2-(2,4-二甲基环丁-3-烯-1-基)-5-甲基-1,3-二恶烷[1]和 5-仲丁基-2-(4,6-二甲基环己-3-烯-1-基)-5-甲基-1,3-二恶烷[2] (卡拉花醛同分异构体) 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1],5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]/1,3-丙烷磺内酯 1,3-propanesultone /2-(2'-羟基-3',5'-二叔丁基苯基)-5-氯代苯并三唑 (UV327) 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol(UV-327)/2-(2'-羟基-3'-异丁基-5'-叔丁基苯基)苯并三唑 (UV350) 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(secbutyl)phenol(UV-350)/硝基苯 Nitrobenzene/全氟壬酸及其钠盐和氨盐 Perfluoronon-1-oic-acid and its sodium and ammonium salts/苯并(a)芘 Benzo[def]chrysene (Benzo[a]pyrene) /4-庚基苯酚, 支链和直链 4-Heptylphenol, branched and linear/全氟癸酸, 全氟癸酸钠和全氟癸酸铵 Nonadecafluorodecanoic acid and its sodium and ammonium salts/对叔戊基苯酚 p-(1,1-dimethylpropyl)phenol/4,4'-异亚丙基双(双酚 A) 4,4'-isopropylidenediphenol(bisphenol A; BPA)/全氟己基磺酸类 Perfluorohexane-1-sulphonic acid and its salts/德克隆[包括所有反式和顺式异构体及其组合] Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)/苯并[a]蒽 Benzo[a]anthracene/屈 chrysene/1,3,4-噻二唑烷-2,5-二硫酮, 甲醛和 4-庚基苯酚的支链和直链 (RP-HP) 的反应产物[4-庚基苯酚, 支链和直链含量 $\geq 0.1\% w/w$] Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP)[with $\geq 0.1\% w/w$ 4-heptylphenol, branched and linear]/ 1,12-苯并茈 Benzo[ghi]perylene / 十甲基环五硅氧烷 (D5) Decamethylcyclopentasiloxane(D5)/ 十二甲基环六硅氧烷 (D6) Dodecamethylcyclohexasiloxane(D6) /乙二胺 Ethylenediamine /八甲基环四硅氧烷(D4) Octamethylcyclotetrasiloxane(D4)/氯化三联苯 Terphenyl hydrogenated/苯-1,2,4-三羧酸 1,2-酐(偏苯三酸酐) (TMA) Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride) (TMA)/邻苯二甲酸二环己酯 Dicyclohexyl phthalate (DCHP)/4,4'-(1,3-二甲基丁基)二苯酚 2,2-bis(4'-hydroxyphenyl)-4-methylpentane /苯并(k)荧蒽 Benzo[k]fluoranthene /荧蒽 Fluoranthene /菲 Phenanthrene /芘 Pyrene /1,7,7-三甲基-3-(苯基亚甲基)双环[2.2.1]庚-2-酮或 3-亚苄基樟脑 3-benzylidene camphor/HFPO-DA 2,3,3,3-四氟-2-(七氟丙氧基)丙酸及其盐和酰基卤化物(包含其同分异构体和混合物) 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)(HFPO-DA) /2-甲氧基乙酸乙酯 2-methoxyethyl acetate /(4-壬基苯基)亚磷酸酯 ($\geq 0.1\%$ 4-壬基苯基, 直连和支链) Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\% w/w$ of 4-nonylphenol, branched and linear (4-NP)(TNPP)/4-叔丁基苯酚 4-tert-butylphenol



本页以下空白 The page below is blank




测试流程图 Measurement Flow-chart

测试人员 Tested by: 朱泽超

审核人 Checked by: 杨新

实验室负责人 Person in charge of the lab: 毛祖青

5.测定 Determination of 2-苄基-2-二甲氨基-1-(4-吗啉苯基) 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone/
2-甲基-1-(4-甲基硫苯基)-2-吗啉基-1-丙酮 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one/邻苯二甲酸二异己酯
Diisohexyl phthalate/全氟丁烷磺酸 (PFBS) 及其盐 Perfluorobutane sulfonic acid (PFBS) and its salts/1-乙烯基咪唑
1-vinylimidazole/2-甲基咪唑 2-methylimidazole/4-羟基苯甲酸丁酯 Butyl 4-hydroxybenzoate/二正丁基双(乙酰丙酮基)锡
Dibutylbis(pentane-2,4-dionato-O,O')tin/四乙二醇二甲醚 Determination of Bis(2-(2-methoxyethoxy)ethyl)ether; (Tetraglyme) /
1,4-二噁烷 1,4-dioxane/2,2-双(溴甲基)-1,3-丙二醇 (BMP) 2,2-bis(bromomethyl) propane-1,3-diol(BMP); 三溴新戊醇/3-溴-2,2-
二溴乙基丙醇(TBPA)2,2-dimethylpropan-1-ol, tribromoderivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBPA); 2,3-
二溴丙醇(2,3-DBPA) 2,3-dibromo-1-propanol (2,3-DBPA)/ 2-(4-叔丁基苯基)丙醛及其立体异构体 2-(4-tert-butylbenzyl)
propionaldehyde and its individual stereoisomers/4,4'-(1-甲基亚丙基)双酚;(双酚 B)4,4'-(1-methylpropylidene)
bisphenol(bisphenol B)/戊二醛 Glutaral/中链氯化石蜡 (MCCP) (UVCB 物质, 由≥80%的直链氯化烷烃组成, 碳链长度在 C₁₄ 到
C₁₇ 之间)Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear
chloroalkanes with carbon chain lengths within the range from C₁₄ to C₁₇] 碳链(C₁₂ 为主, 直链或支链)主要在对位的烷基酚物
质及其任何单个异构体或组合 (PDDP)Phenol, alkylation products (mainly in para position) with C₁₂-rich branched or linear alkyl
chains from oligomerisation, covering any individual/(±)-1,7,7-三甲基-3-[(4-甲基苯基)亚甲基]双环[2.2.1]庚-2-酮, 包括任何单独
的异构体和/或其组合(4-MBC)(±)-1,7,7-trimethyl-3-[(4-methylphenyl) methylene] bicyclo[2.2.1] heptan-2-one covering any of
the individual isomers and/or combinations thereof (4-MBC)/2,2'-亚甲基双-(4-甲基-6-叔丁基苯酚)(DBMC) 6,6'-di-tert-butyl-
2,2'-methylenedi-p-cresol/S-(三环[5.2.1.0^{2,6}]癸-3-烯-8(或 9)-基)O-(异丙基或异丁基或 2-乙基己基)O-(异丙基或异丁基或 2-乙基己
基)二硫代磷酸酯 S-(tricyclo[5.2.1.0^{2,6}]deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or
2-ethylhexyl) phosphorodithioate/乙烯基-三(2-甲氧基乙氧基)硅烷 Tris(2-methoxyethoxy)vinylsilane/N-羟甲基丙烯酰胺
N-(hydroxymethyl)acrylamide/1,2-二(2,4,6-三溴苯氧基)乙烷 1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene]/四溴双酚 A
2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol/双酚 S 4,4'-sulphonyldiphenol/3,4,5,6-四溴-1,2-苯二羧酸双(2-乙基己基)酯, 包
括包括任何单独的异构体和/或其组合 Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or
combinations thereof/4-羟基苯甲酸 2-甲基丙酯 Isobutyl 4-hydroxybenzoate/三聚氰胺 Melamine/全氟庚酸及其盐
Perfluoroheptanoic acid and its salts/间苯二酚 Resorcinol



报告结束 End of Report